-	· · ·	WATE	R WELL RECORD	Form WWC-5	KSA 82a-	1212		
1 LOCATION OF WATER WE		_	SW 14 S1		Number	Township Num	nber S	Range Number R 440 E/W
County: Stanton Distance and direction from re	earest town or c	ity?				ocated within city?		11 47 C C/44
2 WATER WELL OWNER:	•			<u> </u>				
RR#, St. Address, Box # :	Nicholas	& Cros	3			Poard of Acr	ria, ultuma - C	Sinialan of Mater Design
	Rt. 1 Johnson,	Kangag	67855			Application N		ivision of Water Resources
3 DEPTH OF COMPLETED				. 3./// in. to				in to +
Well Water to be used as:		lic water s		8 Air condition		11 Injec		. п. со
	6 Oil			9 Dewatering	9	•	er (Specify	/ below)
2 Irrigation 4 Industrial		n and gard		10 Observation	well			
Well's static water level	165. ft.	below land	surface measured on		0 mor	nth 6 .	d	ay 80 year
Pump Test Data Est. Yield g	: Well wa	iter was iter was				hours pumping hours pumping		gpm
4 TYPE OF BLANK CASING	USED:		5 Wrought iron	8 Concrete	tile	Casing Join	nts: Glued	XX Clamped
1 Steel 3	RMP (SR)		6 Asbestos-Cement	9 Other (sp	ecify below)	l .	Welde	od
X2 PVC 4			-					ded
Blank casing dia 5								
Casing height above land surfa			in., weight 20		lbs./f	ft. Wall thickness o	r gauge N	o··· .262 ·····
TYPE OF SCREEN OR PERF	ORATION MAT			XX 7 PVC		10 Asbes		
					(SR)			
		el	6 Concrete tile	9 ABS		12 None	used (ope	en hole)
Screen or Perforation Opening				ed wrapped		8 Saw cut		11 None (open hole)
	XX Mill slot		6 Wire wrapped			9 Drilled holes		
	4 Key pun		7 Torch					
Screen-Perforation Dia								
Screen-Perforated Intervals:								
Cravel Book Intervals:								· · · · · · · · · · · · · · · · · · ·
Gravel Pack Intervals:		LOU						
5 GROUT MATERIAL: XX	From		ft. to		From		ft. to	π.
Grouted Intervals: From	n weat cement		2 Cement grout	3 Bentonite	- 40	лпег		
What is the nearest source of			20 it., Fioni	11. 10				
200	4 Cess pool	iii alion.	7 Sewage lago	non.	10 Fuel st	-		andoned water well
	5 Seepage pit		8 Feed yard	011		er storage		well/Gas well
3 Lateral lines	6 Pit privy		9 Livestock pens			12 Insecticide storage 16 Other (specify below) 13 Watertight sewer lines		
Direction from well	F	How	many teet 540	ft.	2 Water V	Vall Disinfacted? V	oc XX	No.
Was a chemical/bacteriological	l sample submit	ted to Den	artment? Yes		No.	XX	C3 .	If yes data sample
was submitted	month		dav	vear Pur	no installed	? Yes www		Vo
If Yes: Pump Manufacturer's n	ame Qe	rmoto	w (Not New)	Model No.	JOOM.	HP 🗸	/	Volts / 2 30
Depth of Pump Intake /			ft.	Pumps Capacit	v rated at .		.4	gal/min
	Submersible					iugal 5 Red		,
6 CONTRACTOR'S OR LAN								
completed on								
and this record is true to the b								
This Water Well Record was o	completed on		11 m	nonth	5	day 80		year under the business
name of Jim Smith	's Pump S	ervice		by (signature) 🛩	Som	er Ray In	nith	
7 LOCATE WELL'S LOCATION	ON FROM	TO :	LITHOLOG	IC LOG	FROM	16	LI	THOLOGIC LOG
├─` WITH AN "X" IN SECTION BOX:	—	90	Clay	·	<u> </u>			
	90	140	sand					
N	140	160	clay					
	160	190	sand					
NW NE	190	280	sand w/ clay	strips				
₩ 1 1 E								
SW SE								
<u> </u>								
1					1			
ELEVATION:					1			
Depth(s) Groundwater Encoun	tered / 1	ft. 2	? ft. 3	ft. 4	ft.	(Use a s	econd she	et if needed)
INSTRUCTIONS: Use typewrite copies to Kansas Department of	er or ball point p	en, <i>please</i>	press firmly and PRINT	Clearly. Please to	fill in blanks,	underline or circle	the correct	t answers. Send top three
retain one for your records	caaranana Eli	oranient, t	envision of Environment,	TVALER TYPE COTT	aciors, rope	ra, no 00020. 38N	u une to W	ALER WELL OWNER and