

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

22854

Well ID

1 LOCATION OF WATER WELL: County: Stanton Fraction SW 1/4 SW 1/4 NE 1/4 SW 1/4 Section Number 4 Township Number T 27 S Range Number R 42 E W

2 WELL OWNER: Last Name: WALKER First: DAVID T Street or Rural Address where well is located SOUTH FROM INTERSECTION OF RD G (N RD T) & RD 37 3/4 OF A MILE, EAST INTO FIELD 1590 FT.

3 LOCATE WELL WITH 'X' IN SECTION BOX: N W E S 4 DEPTH OF COMPLETED WELL: 712 ft. 5 Latitude: 37.727856 Longitude: 101.919625 6 Elevation: 3457 ft.

7 WELL WATER TO BE USED AS: 1. Domestic: 2. Irrigation 3. Feedlot 4. Industrial 5. Public Water Supply 6. Dewatering 7. Aquifer Recharge 8. Monitoring 9. Environmental Remediation 10. Oil Field Water Supply 11. Test Hole 12. Geothermal 13. Other

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected?

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 16 in. to 712 ft. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 20 ft., From 340 ft. to 360 ft., From 692 ft. to 712 ft. Nearest source of possible contamination: No potential source of contamination within 200 ft.

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 05/15/2019.

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	DAVID T WALKER
Doc ID	1463111

Litholgy

0	1	TOPSOIL
1	22	SILTY CLAY, SOME SILT
22	26	F/M/C SAND & F. GRAVEL
26	47	CLAY AND SILTY CLAY
47	54	F/M/C SAND & F/TR MED GRAVEL
54	81	CLAY
81	102	F/M/C SAND, F. GRAVEL, CLAY MIX
102	115	F/M/C SAND & F. GRAVEL
115	136	BR CLAY
136	147	F/M/C SAND & F. GRAVEL
147	154	CLAY
154	186	F/M/C SAND & F. GRAVEL
186	202	CLAY
202	208	F/M/C SAND & F. GRAVEL
208	250	CLAY
250	254	F/M/C SAND
254	280	CLAY, F. SAND, CEM LAYER
280	308	F. SAND, CLAY, CEM LAYER
308	320	SHALE, BR CLAY
320	404	SHALE
404	434	SS, TR F. SAND, TR SHALE
434	462	F. SAND,

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	DAVID T WALKER
Doc ID	1463111

Litholgy

From	To	LithologicLog
462	494	CLAY, SHALE, SOAPSTONE
494	513	F. SAND
513	522	RED BED CLAY
522	560	F. SAND, SOAPSTONE, CLAY
560	565	CLAY LAYER
565	692	F. SAND, TR CLAY
692	712	RED BED