	VATER WELL RECORD F	orm WWC-5	KSA 82a-	1212	
LOCATION OF WATER WELL: Fractio	n /	Section	on Number	Township Number	Range Number
unty: KINGMAN		E1/4	24	т 27 s	R & E(W)
stance and direction from nearest town or city str				- 0	
IN 34E 34N OF		T AP	Rox. 7 t	5 OF KINGMA	N
WATER WELL OWNERdebaron Drillin	g Company				
R#, St. Address, Box # : Box 18611				•	Division of Water Resource
	us 67207 Lease: S				
LOCATE WELL'S LOCATION WITH 4 DEPTH					
	roundwater Encountered 1				
WELL'S ST	TATIC WATER LEVE	ft. bel	ow land surf	ace measured on mo/day/y	·
NW NE	Pump test data: Well water				
Est. Yield	.35 gpm: Well water				
W I I E Bore Hole	Diameter. /. O in. to	<i>40</i>	ft., a	nd	n. toft.
WELL WAT	TER TO BE USED AS: 5	Public water	supply 8	8 Air conditioning 11	Injection well
1 Dom	estic 3 Feedlot 6	Oil field wate	r supply	9 Dewatering 12	Other (Specify below)
2 Irriga	ation 4 Industrial 7	Lawn and ga	rden only 1	0 Observation well	
Was a cher	nical/bacteriological sample su	bmitted to Dep	artment? Ye	s; If yes	s, mo/day/yr sample was sub
S mitted			Wate	er Well Disinfected? Yes	X No
TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete	e tile	CASING JOINTS: Glue	ed 🗴 Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (s	pecify below) Wel	ded
4 ABS	7 Fiberglass				aded
llank casing diameter 之 in. to 🚄					~ 1 / 1
asing height above land surface	in., weight			t. Wall thickness or gauge I	vo
YPE OF SCREEN OR PERFORATION MATERIA	L:	(7)PVC		10 Asbestos-cem	ent
1 Steel 3 Stainless steel	5 Fiberglass	8 RMP	(SR)	11 Other (specify	')
2 Brass 4 Galvanized steel	6 Concrete tile	9 ABS		12 None used (o	pen hole)
CREEN OR PERFORATION OPENINGS ARE:	5 Gauzed	l wrapped	(8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill slot	6 Wire wr	6 Wire wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched	7 Torch o	10		10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From	ft. to	.40	ft., From	1 ft.	toft.
From	ft. to	A 4.	,		toft.
GRAVEL PACK INTERVALS: From		4.0	ft., From	1 ft.	toft.
From	ft. to		ft., From	n ft.	to ft.
GROUT MATERIAL: 1 Neat cement	Cement grout	3 Bentoni		Other	
Grout Intervals: From 📿 ft. to //		ft. to			
Vhat is the nearest source of possible contamination			10 Livesto	·	Abandoned water well
1 Septic tank 4 Lateral lines	7 Pit privy		11 Fuels	•	Oil well/Gas well
2 Sewer lines 5 Cess pool	8 Sewage lagoo	on	12 Fertilizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit	9 Feedyard			icide storage	.70.070.9
Direction from well?	2010 1 00	I EDOM I	How man		SIC LOC
	OGIC LOG	FROM	то	LITHOLO	aic Log
0 2 Soil, top		 			
2 12 0/Clay, red	01	-			
12 21 of Sand, fine to ver	_	<u></u>			
1 : 71 *	rse and fine grave	 -			3
27 34 04 Clay, red and sar					
34 37 /7 Sand, fine to co	arse and fine grav	ne L			
37 40 /9 Shale, red		 		A STATE OF THE PARTY OF THE PAR	
					
		 			
		-			
		 			
			I		
CONTRACTOR'S OR LANDOWNER'S CERTIF					
ompleted on (mo/day/year)	7N. 8.4	а	and this recor	d is true to the best of my ki	nowledge and belief. Kansas
Vater Well Contractor's License No 325	This Water Wel	ll Record was			6.34. J.
nder the business name of Central WEll	& Pump Inc.		by (signati		michl
NSTRUCTIONS: Use typewriter or ball point pen, P					
ree copies to Kansas Department of Health and Env WNER and retain one for your records.	/ironment, Division of Environm	ieπt, Environm	ental Geolog	у ъеспоп, торека, КS 66620	o. Sena one to WATER WEL
della fotani ono ioi you fotolido.					D