			WELL RECORD	Form WWC-5	KSA 82a			
LOCATION OF WA		Fraction			tion Number	Township		Range Number
unty: Kingmar	1 from poorest town	NE 1/4	NW 14 SW	1/4		Т 2	7 s	R 7 E/W
	from nearest town o			ea within city?				_
4 North	n of Kingma	en						
WATER WELL OW	VNER: Lial Do	odg e						
, St. Address, Bo	Kingman	Ke. 67	968				•	Division of Water Resource
							ion Number:	
OCATE WELL'S L N "X" IN SECTIO								
` ∌ !	! WE							.9=3=92
NW	NE	Pump t	est data: Well wat	er was	ft. at	ter	hours pur	mping gp
X	Es	st. Yield 1 5	gpm: Well wat	er was	ft. a	ter	hours pur	mping gp
w	l g Bo	ore Hole Diamete	r9,in. to	32		ınd	in.	to
" !	! WE	ELL WATER TO	BE USED AS:	5 Public water	er supply	8 Air condition	ing 11	njection well
sw	;	1 Domestic	3 Feedlot			-		Other (Specify below)
Ī		2 Irrigation			•			
	L I Wa	as a chemical/ba	cteriological sample	submitted to D				mo/day/yr sample was s
		tted				er Well Disinfe		
YPE OF BLANK			Wrought iron					Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cement		(specify below	•		ēd
2 PVC	4 ABS		7 Fiberglass					ded
•	_		•					n. to
			n., weight					21.0
	R PERFORATION M			7 PV			Asbestos-ceme	
1 Steel	3 Stainless st		5 Fiberglass					
2 Brass	4 Galvanized		6 Concrete tile	9 AB	S		None used (op-	•
	RATION OPENINGS			zed wrapped		8 Saw cut		11 None (open hole)
1 Continuous slo				wrapped		9 Drilled hole	-	
2 Louvered shut	ter 4 Key p	punched 17	7 Torc	h cut		10 Other (spe	cify))
				2.2				
REEN-PERFORAT	ED INTERVALS:	From 	ft. to .	22	ft., Fror	n	ft. to)
	ED INTERVALS:	From	ft. to .	32	ft., Fror	n	ft. to)
	ED INTERVALS:	From. 17	ft. to .	32	ft., Fror	n	ft. to)
GRAVEL PA	CK INTERVALS:	From. 17	ft. to ft. to . ft. to .	32	ft., Fror ft., Fror ft., Fror	n	ft. to)
GRAVEL PA	CK INTERVALS:	From. 17	ft. to ft. to . ft. to .	32	ft., Fror ft., Fror ft., Fror	n	ft. to)
GRAVEL PAGE GROUT MATERIAL UT Intervals: Fro	CK INTERVALS: 1 Neat cem m. 3	From 17 From 17 ent 2 to 17	ft. to ft. to . ft. to .	32	ft., From tt., From t	n	ft. to	o
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so	1 Neat cem	From 17 From 17 to 17	ft. toft. toft. toft. toft. toft. toft. toft. toft. ft. toft. ft. ft. ft. ft. ft. ft. ft. ft	32	ft., Fror ft., Fror ft., Fror nite 4 to	n	ft. tc ft. tc	oft. to
GRAVEL PAGROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank	1 Neat cem 1 Neat cem 1 neat cem 1 neat cem 1 the correct of possible correct of possi	From 17 2 to 17 that ines	ft. toft. toft. toft. toft. toft. toft. toft. ftft. ftft. ft.	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to
GRAVEL PAGROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines	1 Neat cem m. 3 ft. ource of possible cor 4 Lateral li 5 Cess po	From 17 2 to 17		3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to ft	oft. to
GRAVEL PAGROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew	1 Neat cem 1 Neat cem 1 Light 1 Neat cem 2 Light 1 Neat cem 3 Light 1 Neat cem 4 Lateral light 1 Neat cem 4 Lateral light 1 Neat cem 5 Cess power lines 6 Seepage	From 17 From 17 From 17 Per 17 Intamination: ines col		3 Bento	ft., Fror ft., Fror ft., Fror onite 4 to	n	ft. to ft	oft. to andoned water well
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well?	1 Neat cem m. 3	From 17 From 17 to 17 ntamination: ines col e pit in 400	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO	1 Neat cem 1 Neat cem 1 Neat cem 1 t. Ource of possible cor 4 Lateral li 5 Cess power lines 6 Seepage 1 One with	From 17 From 17 From 17 Per 17 Intamination: ines col	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fror ft., Fror ft., Fror onite 4 to	n	ft. to ft	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO 3	1 Neat cem 3	From 17 From 17 to 17 ntamination: ines pol pit 1n 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? IOM TO 3 3 5	1 Neat cem 3	From 17 From 17 to 17 ntamination: ines pol pit 1n 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO 3 5 5 17	1 Neat cem 3	From 17 From 17 From 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? OM TO 3 5 7 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro the is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew cition from well? OM TO 3 5 17 21	1 Neat cem 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA ROUT MATERIAL at Intervals: Fro it is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 3 5 17 7 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard ft	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro the is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew cition from well? OM TO 3 5 17 7 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard ft	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro the is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew cition from well? OM TO 3 5 17 7 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard ft	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? OM TO 3 5 7 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard ft	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? OM TO 3 5 7 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard ft	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 3 3 5 17 17 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard ft	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 3 5 5 17 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard ft	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? OM TO 3 5 7 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard ft	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? OM TO 3 5 7 21	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 Intamination: ines col e pit in 400 LITHOLOGIC LO	ft. toft. toft. toft. toft. from 7 Pit privy 8 Sewage lag 9 Feedyard ft	3 Bento ft.	tt., Fror ft., F	n	14 Al 15 Oi	oft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 3 5 7 7 21 1 32	1 Neat cem 3	From 17 From 17 From 17 to 17 to 17 intamination: ines col p pit in 400 LITHOLOGIC LC	cement grout ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard ft OG	3 Bento ft.	tt., Fror ft., F	n	14 At 15 O	ft. to
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? GOM TO 3 5 17 21 1 32 CONTRACTOR'S	1 Neat cem m. 3	From 17 From 17 From 17 to 17 to 17 intamination: ines col e pit in 400 LITHOLOGIC LC	Cement grout ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard ft OG	3 Bento ft.	tt., Fror ft., F	n	ft. to ft	oft. to one of the control of the co
GRAVEL PA ROUT MATERIAL at Intervals: Fro t is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 3 5 17 7 21 1 32 CONTRACTOR'S colleted on (mo/day)	1 Neat cem m. 3 ft. burce of possible cor 4 Lateral li 5 Cess power lines 6 Seepage none with soil dirty sa clay dirty sa red shal	From 17 From 17 From 17 to 10 to 17	Cement grout ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard ft N: This water well w	3 Bento ft.	tt., Fror tt., Fror ft., Fror nite 4 to	n	ft. to ft	or ft. to or ft. ft. to or ft.
GRAVEL PA ROUT MATERIAL at Intervals: Fro it is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 3 5 17 7 21 1 32 CONTRACTOR'S opered on (mo/day)	1 Neat cem 3ft. ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage none with seil dirty sa clay dirty sa red shal OR LANDOWNER'S Vyear)9-3-4	From 17 From 17 From 17 To 17 Internation: ines col e pit 10 400 LITHOLOGIC LO	Cement grout ft. to ft. to ft. to Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard ft N: This water well w	3 Bento ft.	tt., Fror tt., Fror ft., Fror nite 4 to	nn Other Other ock pens storage zer storage icide storage y feet? Instructed, or (3 or d is true to the on (mo/day/yr)	ft. to ft	off. to pandoned water well well/Gas well ther (specify below) NTERVALS er my jurisdiction and wowledge and belief. Kans