


1 LOCATION OF WATER WELL: Fraction SW 1/4 NE 1/4 SW 1/4 Section Number 30 Township Number T 27 S Range Number R 7 ~~7~~

Distance and direction from nearest town or city street address of well if located within city?
~~West~~ on Industrial Ave - West on Hoover St. to WELL in city of Kingman, Kans
 North

2 WATER WELL OWNER: John M. & Penny WOOD
 RR#, St. Address, Box #: RT#1 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Kingman, Kans. Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  DEPTH OF COMPLETED WELL: 47' ft. ELEVATION: ... ft.
 Depth(s) Groundwater Encountered 1. 14' ft. 2. ... ft. 3. ... ft.
 WELL'S STATIC WATER LEVEL 14' ft. below land surface measured on mo/day/yr Sept 10 -92
 Pump test data: Well water was NA ft. after ... hours pumping ... gpm
 Est. Yield 20 gpm; Well water was ... ft. after ... hours pumping ... gpm
 Bore Hole Diameter 7 7/8" in. to 47' ft., and ... in. to ... ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes ... No XX; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 XX PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter 5 in. to 39' ft., Dia. ... in. to ... ft., Dia. ... in. to ... ft.
 Casing height above land surface 14' in., weight 160 lbs./ft. Wall thickness or gauge No. SDR 26
 TYPE OF SCREEN OR PERFORATION MATERIAL: XX PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped XX 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 39' ft. to 47' ft., From ... ft. to ... ft.
 GRAVEL PACK INTERVALS: From 39' ft. to 47' ft., From 39' ft. to 22' ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout XX 3 Bentonite 4 Other
 Grout Intervals: From 22' ft. to 3' ft., From ... ft. to ... ft., From ... ft. to ... ft.
 What is the nearest source of possible contamination: XX 10 Livestock pens 14 Abandoned water well
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
 Direction from well? NE How many feet? App: 200'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	3'	top soil.			
3'	11'	Clay.			
11'	12'	Sandy clay'			
12'	14'	clay.			
14'	23'	Medium Fine sand.			
23'	34'	Brown sandy clay.			
34'	38'	White clay.			
38'	46'	Course sand & Fine Gravel.			
46'	47'	Red Bed.			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Sept. 9 - 92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 112 This Water Well Record was completed on (mo/day/yr) Oct 5 - 92 under the business name of Wells Drilling Co. by (signature) Dal Wells