

1 LOCATION OF WATER WELL
 County: Kingman Fraction: NW 1/4 NW 1/4 NE 1/4 Section Number: 33 Township Number: T. 27 S Range Number: R 7 EW
 Distance and direction from nearest town or city? 1 1/2 E Kingman Street address of well if located within city?

2 WATER WELL OWNER: Vernon Blue
 RR#, St. Address, Box # R1 Kingman Kansas Board of Agriculture, Division of Water Resources
 City, State, ZIP Code Application Number:

3 DEPTH OF COMPLETED WELL: 90 ft. Bore Hole Diameter: 9 in. to ft., and in. to ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level 16 ft. below land surface measured on 5 month 18 day 8/1 year
 Pump Test Data : Well water was ft. after hours pumping gpm
 Est. Yield 7 gpm: Well water was ft. after hours pumping gpm


4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia 5 in. to 24 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No 265
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia in. to ft., Dia in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From ft. to ft., From ft. to ft., From ft. to ft.
 From 13 ft. to 20 ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From ft. to ft., From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 3 ft. to 13 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 13 Watertight sewer lines
 Direction from well NW How many feet 60 ? Water Well Disinfected? Yes Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample
 was submitted month day year: Pump Installed? Yes No Volts
 If Yes: Pump Manufacturer's name Model No. HP Volts
 Depth of Pump Intake ft. Pumps Capacity rated at gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
 completed on 5 month 20 day 8/140 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 140
 This Water Well Record was completed on 19 month 8/1 day 81 year under the business
 name of Lyman Bros by (signature) Richard Lyman

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	4	Soil			
4	10	Fine Sand			
10	20	med. Sand			
20	90	Shale			


 ELEVATION:
 Depth(s) Groundwater Encountered 1. 15 ft. 2. 60 ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
 T
 R
 7
 SEC.
 33
 NW 1/4
 NE 1/4