WATER WELL RECORD Form WWC-5 Division of Water								
Original Record Correction Change			Resources App. No.			Well ID		
		Fraction	Section Number		Township Numb			
County: King	man	"MW"SE "	Street on Du					
2 WELL OWNER: Last Name: OLSON First: EZRA Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Address: P. D. BOX ZGZ From Kingman East on Huy S4 70 Old								
Address:								
City: Kringma		S ZIP: 67068		1	e for , 73 M	rile South 70 w		
3 LOCATE WELL WITH "X" IN	4 DEPTH OF CO	MPLETED WELL:		. 5 Latitud	e:	(decimal degrees)		
SECTION BOX:		Encountered: 1)				(decimal degrees)		
N	N 2)					Horizontal Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27		
WELL'S STATIC WATER LEVEL:					Source for Latitude/Longitude:			
above land surface, measured on (mo-day-yr).				GPS (unit make/model: (WAAS enabled? ☐ Yes ☐ No)				
Pump test data: Well water was				☐ Land Survey ☐ Topographic Map				
w					Online Mapper:			
SW SE	Well water was ft.							
	anter nours pumpinggpm							
S	Estimated Yield:gpm Bore Hole Diameter: /2/2in. to40ft. and				Source: Land Survey GPS Topographic Map			
mile	1 mile Bore Hole Diameter: 2222 in. to							
7 WELL WATER TO BE USED AS:								
1. Domestic:		ater Supply: well ID		10. □ Oil F	ield Water Supply: le	ease		
▼ Household		ng: how many wells?			e: well ID			
☐ Lawn & Garden	7. 🔲 Aquifer	Recharge: well ID		☐ Case	d 🗌 Uncased 🔲 (Geotechnical		
Livestock		ng: well ID			mal: how many bores			
2. ☐ Irrigation 3. ☐ Feedlot		tal Remediation: well II			ed Loop			
4. Industrial	☐ Air Spar		extraction			scharge		
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ✓ No If yes, date sample was submitted:								
8 TYPE OF CASING USED: O Steel P DVC O Other								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter for the control of the con								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
SCREEN-PERFORATED INTERVALS: From 20 ft. to ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From .75								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
Sewer Lines								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ One of the control of th								
Direction from well?		Distance from we	ell?	99	ft.			
10 FROM TO	LITHOLO		FROM			PLUGGING INTERVALS		
0 8	7 / -	Sand						
8 12	Fine Tan	Sand						
12 16	Very Fine	Fan Sand						
16 25	med Blace							
28 28	green stan	Large Rocks	Black					
28 95	Red Shale		Share					
29			Notes:	MAII CA	Acks M Sh	ale 45 ft /70 fs		
			_			,,,,,,		
11 CONTRACTORIS OR LANDOWNERDS CERMINICATION TO 1								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year).								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)								
under the business name of . Crowd's water will sure. Signature								
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
	, Suite 420, Topeka, Kansas	66612-1367. Mail one to		er and retain one f				