

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County Kingman	Fraction 1/4 C 1/4 SW 1/4	Section number 18	Township number T 27 S R 8	Range number 8
2. Distance and direction from nearest town or city: 6-3/4 Miles West & 3-1/4 Miles North of Kingman, Kansas			3. Owner of well: Mr. Robert L. Sheetz R.R. or street: Norwich, Kansas City, state, zip code: 67118		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 30 in. Completion date April 11, 1977 Well depth 135 ft.	
		<p>Well No. 1 @ TH 1-77</p>		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
5. Type and color of material		From	To	9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 34.25 lbs./ft. Dia. 16 in. to 68 ft. depth Wall Thickness: inches of 0.203 Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth	
Top soil		0	2	10. Screen: Manufacturer's name Doerr Metal Products Type Steel Dia. 16" Slot/gauze 1/8" Length 40" Set between 68 ft. and 88 ft. 115 ft. and 135 ft. Gravel pack? yes Size range of material 1/8-1/4"	
Brown silty sand		2	15	11. Static water level: 27.10 ft. below land surface Date 4/11/77 mo./day/yr.	
Fine to coarse sand		15	36	12. Pumping level below land surfaces: 7.95 ft. after 4 hrs. pumping 800 g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 1000 g.p.m.	
Clay		36	44	13. Water sample submitted: ____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date ____	
Fine to coarse sand & gravel		44	89	14. Well head completion: <input type="checkbox"/> Pitless adapter 24 Inches above grade	
Clay		89	116	15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
Med. to coarse sand & gravel		116	135	16. Nearest source of possible contamination: ft. 1400 Direction West Type Farm Well disinfected upon completion? ____ Yes <input checked="" type="checkbox"/> No	
Red shale		135	140	17. Pump: ____ Not installed Manufacturer's name Layne & Bowler Model number 770417 HP 50 Volts 440 Length of drop pipe 80 ft. capacity 600 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
(Use a second sheet if needed)					
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name Wichita, Kansas License No. 44197 Address Wichita, Kansas Signed [Signature] Date 4/19/77 Authorized representative	
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley					

27-80-18
 T
 R
 Sec
 1/4
 1/4
 1/4
 1/4
 SW