KOLAR Document ID: 1475171

WATER				WWC-5		vision of Wat			Well ID				
	Original Record Correction Change in Well Use LOCATION OF WATER WELL: Fraction					ources App.]	1			aa Numbar			
						$\begin{array}{c ccc} ction Number & Township Number & Range Number \\ T & S & R & \Box E \Box W \end{array}$							
						treet or Rural Address where well is located (if unknown, distance and							
	Address:						irection from nearest town or intersection): If at owner's address, check here:						
Address:													
City:			State:	ZIP:									
3 LOCATE	WELL												
WITH "X	K" IN			f		5 Latitude:(decimal degrees)							
SECTION	ECTION BOX: Depth(s) Groundwater Encountered: 1)						Longitude:(decimal degrees)						
Ν	N 2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL:						Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27						
		below land surface, measured on (mo-day-yr)											
	•	above land surface, measured on (mo-day-yr)											
NW	NE	Pump test data: Well water was ft.											
w	E	after hours pumping											
	1		Well w	ft.									
SW	SE	after hours pumping gpm											
		Estimated Yield:gpm				6 Elevation:ft. Ground Level							
S		Bore Hole Diameter: in. to			ft. and								
1 mi		in. to ft.				☐ Other							
7 WELL WATER TO BE USED AS:													
1. Domestic:				ter Supply: well ID									
Househo			6. Dewatering: how many wells?			11. Test Hole: well ID							
			7. Aquifer Recharge: well ID				Cased Uncased Geotechnical						
	Livestock 8. Monitoring: well ID							al: how many bores					
	Image:						a) Closed Loop 🗌 Horizontal 🗌 Vertical						
			Air Sparge Soil Vapor Ex				b) Open Loop 🗌 Surface Discharge 📋 Inj. of Wate						
4. Industrial Recovery Injection 13. Other (specify):													
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:													
Water well disinfected? Yes No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
□ Steel □ Stainless Steel □ PVC □ Other (Specify)													
Brass Galvanized Steel None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)													
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)													
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.													
				n ft. to									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From ft. to ft., From ft. to ft. rom ft. to ft.													
Nearest sour				potential source of co				—					
Septic T			Lateral Line			Livestock P			ide Storage				
Sewer L			Cess Pool	□ Sewage L		Fuel Storage			oned Water	well			
Other (Specify) Direction from well? Distance from well?													
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		GINTERVALS			
	10	1				10			LUUUIN	S IIIIEK VALO			
├													
├													
├													
├													
├													
├					NTa4c								
├					Notes:								
-													
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
under my ju	risdiction an W_{-11}	a was compl	eted on (n	no-day-year)	\ldots and $V_{a} = 11 D$	this record	1s tru	e to the best of my	y knowled	ge and belief.			
				This W									
	ismess name	Send one copy to	WATER W	ELL OWNER and retain	one for your rec	ords Fee of ¢	 5 00 fr	or each constructed we	<u></u> 11				
KS Departme										2785-296-3565.			
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212												