## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section	number	Township number Range number
1. Location of well:				Section number		
2. Distance and direc	Kingman ction from neargest town or city:	SW 1/4 SW 1/4	1/4 3. Owr	ner of wel		Bruce Livingston
ow. I land of on Walth of				or street:		
Street address of well location IFIN city: Kingman City, st				, state, zip code:		Kingman, Kansas
4. Locate with "X" in section below:  N						6. Bore hole dia. 30 in. Completion date Well depth 123 ft. 6/7/78
N						7 Cable tool Rotary Driven Dug
Well No. 1-78 (TH 3-77)						Hollow rod Jetted Bored X Reverse rotary
						8. Use: Domestic Public supply Industry
						X Irrigation Air conditioning Stock Lawn Oil field water Other
						9. Casing: Materia Steel Height: Above
						Threaded Welded X   Surface Z 4 in.
S I Mile ————————————————————————————————————					,	RMPPVCWeight <u>31.75</u> bs./ft. Dia16_in. t83_ft. depth Wall Thickness; inches or
5. Type and color of material				From	То	Dia in. to ft. depth   gage No188"
<b>U.</b>				<del> </del>		10. Screen: Manufacturer's name Doerr Metal Products
Top soil				0	2	Type Steel. Dia. 16"
Brown silty clay				2	15	Set between 63 ft. and 123 ft.
						ft. andft.
Very fine sand				15		Gravel pack? <b>YES</b> Size range of material 1/8-1/4
Med. to coarse sand & gravel				20	37	11. Static water level: mo./day/yr. 55 ft. below land surface Date 6/7/78
Brown clay				37	40	12. Pumping level below land surfaces:
•				10	74	<b>7Z</b> ft. after <b>4</b> hrs. pumping <b>60B</b> g.p.m. g.p.m. ft. after <b>4</b> hrs. pumping <b>60B</b> g.p.m.
Med. to coarse sand & gravel-clay strks				40		Estimated maximum yieldg.p.m.
Brown cla	цу			74	87	13. Water sample submitted: mo./day/yr.  Yes K No Date
Med. to coarse sand & gravel-clay streaks				\$8 <b>7</b>	123	14. Well head completion:
				123		Pitless adapter Inches above grade
Red shale				123		15. Well grouted? General Bentonite Concrete
				-		Depth: From ft. to ft.
						16. Nearest source of possible contamination: ft. 4000 Direction Type Favor
						Well disinfected upon completion? Yes No
						17. Pump: X Not installed
				<del> </del>		Manufacturer's name
						Length of drop pipe ft. capacityg.p.m.
						Type: Submersible Turbine
						Jet Reciprocating
	(Use a second si	neet if needed)	***	l		Centrifugal Other
18. Elevation: 19. Remarks:						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report
						is true to the best of my knowledge and belief
Topography: Hill						Layne Western Co. 102  Business name//2 ca// License No.
Slope						Business name Wild Wall & Kans as License No.
iX Upland						Signed Authorized representative Date 6/4/78
Valley						Authorized representative