

1 LOCATION OF WATER WELL: Fraction SW 1/4 NE 1/4 SW 1/4 Section Number 6 Township Number T 27 S Range Number R 9 E/W

Distance and direction from nearest town or city street address of well if located within city?
 Penaloosa 2W 1/4N 1/4E

2 WATER WELL OWNER: Helm Farm's Inc.
 RR#, St. Address, Box #: R.R. Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Penaloosa, KS 67121 Application Number: 38566

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 150' ft. ELEVATION:

Depth(s) Groundwater Encountered 1. 38' ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL . . . 39.5 . . . ft. below land surface measured on mo/day/yr . . . 9-1-87

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was . . . N/A . . . ft. after hours pumping gpm

Bore Hole Diameter . . . 2.8 . . . in. to ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
9 Dewatering	12 Other (Specify below)	
XX Irrigation	4 Industrial	7 Lawn and garden only
10 Observation well		

Was a chemical/bacteriological sample submitted to Department? Yes No. XX; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes XX No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped <u>XX</u>
2 PVC	4 ABS	XX Asbestos-Cement	9 Other (specify below)	Welded
		7 Fiberglass		Threaded

Blank casing diameter . . . 1.6 . . . in. to . . . 9.8 . . . ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface . . . 12 . . . in., weight . . . 5.2 . . . lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	XX Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From . . . 9.8 . . . ft. to . . . 150 . . . ft., From ft. to ft.

GRAVEL PACK INTERVALS: From . . . 20 . . . ft. to . . . 150 . . . ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement ~~XX~~ Cement grout 3 Bentonite 4 Other

Grout Intervals: From . . . 0 . . . ft. to . . . 20 . . . ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	NONE

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	TS			
3	5	Clay			
5	35	Sand			
35	75	Clay			
75	150	Med. Sand			
150	---	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was XX constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . . 9-1-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. . . . 39.4 This Water Well Record was completed on (mo/day/yr) 9-1-87 under the business name of Woofter Pump & Well by (signature) Walter Woofter

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY