		LL RECORD	Form W	/WC-5	Division of Water Resources App. No.
Cou	nty: Kin	OF WATER WELL:	Fraction ¼ ne ¼ ne	1/4 se	Section Number Township No. Range Number
Stre	et/Rural.	Address of Well Location;	if unknown, distance	Global Positioning System (GPS) information:	
fron	from nearest town or intersection: If at owner's address, check here .				Latitude:3741,752.N. (in decimal degrees)
1.5 miles south and east into from Penalosa				Longitude: 98 19.185 W (in decimal degrees) Elevation: 1700	
2 WA	TED W	ELL OWNER: lay Ste			— <u>Datum</u> : ☑ WGS 84, □ NAD 83, □ NAD 27
		Jay Oto			Collection Method:
		710 0 1	150 ave		GPS unit (Make/Model: Magellan Meridian
		Cunning	aham KS 67035		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
	CATE WE	CLL "IN 4 DEPTH OF	COMPLETED WEI	J. 86	ft.
SEC	TION BO	Denth(s) Ground	water Encountered	(1) 21	f(x) = f(x)
	N	WELL'S STAT	IC WATER LEVEL	21	ft. below land surface measured on mo/day/yr
		Pump	test data: Well wat	er was	ft, after hours pumping gpm
EST. YIELD. 60)gpm. Well water	er was	ft. after hours numping gnm
W E Bore Hole Diame			eter !.Ų.૭/છin. to .	86	ft., andin. toft.
			TO BE USED AS: [Public was	rater supply Geothermal Injection well
S	SW SE				ater supply Dewatering Other (Specify below)
Irrigation Industrial Domestic-lawn & garden Monitoring well					
		Was a chemical/	bacteriological sampl	e submitted	to Department?
S If yes, mo/day/yr sample was submitted					
water well distincted?					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter 5 in. to .86					
Casing height above land surface					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From 86 ft. to 66 ft., From ft. to ft.					
From					
GRAVEL PACK INTERVALS: From 86 ft. to .20 ft., From ft. to ft.					
From					
Grout Intervals: From 20 ft. to 0 ft., From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
⊔			it Feedyard	☐ Fertilizer	
FROM	TO	n wellLITHOLOG			e from well
0	4	topsoil	IC LOO	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
4	15	silty sand			
15	86	small gravel	Make	 	
86	-	red shale			
		700 Onaro	The state of the s	-	
***				-	
		AND THE PARTY OF T			
					
7-710 1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .05/11/11 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No665 This Water Well Record was completed on kmo/dec/year) 05/31/11					
under the business name of Pratt Well Service Inc. by (signature) (1904) (1/4/11)					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly Please fill in happy and check the correct approach Spend three conies.					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy					