Coriginal Record Correction Change in Well Use Resources App. No. Well ID
County:
Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:
Address:
Address: City:
A DEPTH OF COMPLETED WELL: ft. SECTION BOX: SCTION BOX: N
Depth(s) Groundwater Encountered: 1)
2)
below land surface, measured on (mo-day-yr)
above land surface, measured on (mo-day-yr)
Well water was ft after hours pumping gpm Well water was ft after hours pumping gpm Gestimated Yield: John gestimated Yield: John gpm Gestimated Yield: John gestimated Yield: John gpm Gestimated Yield: John
Well water was ft. after hours pumping gpm Estimated Yield: gpm gpm Estimated Yield: gpm
Estimated Yield:
Timile
7 WELL WATER TO BE USED AS: 1. Domestic:
1. Domestic:
□ Lawn & Garden 7. □ Aquifer Recharge: well ID □ Cased □ Uncased □ Geotechnical □ Livestock 8. □ Monitoring: well ID 12. Geothermal: how many bores? 2. □ Irrigation 9. Environmental Remediation: well ID a) Closed Loop □ Horizontal □ Vertical 3. □ Feedlot □ Air Sparge □ Soil Vapor Extraction b) Open Loop □ Surface Discharge □ Inj. of Water 4. □ Industrial □ Recovery □ Injection 13. □ Other (specify): Water well disinfected? □ Yes □ No If yes, date sample was submitted: Water well disinfected? □ Steel □ PVC □ Other CASING JOINTS: □ Glued □ Clamped □ Welded □ Threaded Casing diameter □ in. to □ ft., Diameter in. to □ ft., Diameter in. to □ ft. Casing height above land surface □ in. Weight □ lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)
Livestock
3.
4. Industrial
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel NOVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight by the lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other CASING JOINTS: Glued Clamped Welded Threaded In. Threaded In. Diameter in. to ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter fin, to fin, Diameter fin, D
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)
SCREEN OR PERFORATION OPENINGS ARE:
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)
SCREEN-PERFORATED INTERVALS: From
TRAVEL PACK INTERVALS: From
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other. Grout Intervals: From
Nearest source of possible contamination:
▶ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well
Other (Specify) Direction from well? Distance from well?
10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS
2 3, 50/
22 Lt Brown Chy.
24 36 White Ochr
36 ble Sand
75 90 Fine Sand 1 Notes:
70 122 3and
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed. Treconstructed, or Trillinged
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed. Treconstructed, or Tribugged