

1 LOCATION OF WATER WELL		Fraction <u>NE 1/4 NW 1/4 NW 1/4</u>		Section Number <u>30</u>		Township Number <u>280 S</u>		Range Number <u>1 E W</u>																																																	
County: <u>Sedgwick</u>																																																									
Distance and direction from nearest town or city street address of well if located within city? <u>11311 W. 55th S.</u>																																																									
2 WATER WELL OWNER: <u>Tim Thome</u>																																																									
RR#, St. Address, Box # : City, State, ZIP Code :					Board of Agriculture, Division of Water Resources Application Number:																																																				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL <u>66</u> ft. ELEVATION:																																																						
			Depth(s) Groundwater Encountered ft. 2 ft. 3 WELL'S STATIC WATER LEVEL <u>18</u> ft. below land surface measured on mo/day/yr <u>12-26-03</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield <u>25</u> gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well																																																						
			Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No; If yes, mo/day/yr sample was submitted																																																						
			Water Well Disinfected? Yes <u>X</u> No																																																						
5 TYPE OF BLANK CASING USED:																																																									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded Blank casing diameter <u>5</u> in. to <u>56</u> in. Dia. <u>12</u> in. to ft. Dia. <u>2.40</u> in. to ft. Dia. <u>160psi</u> Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 10 Asbestos-Cement 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RMP (SR) 11 Other (Specify) 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) ft.																																																									
SCREEN-PERFORATED INTERVALS: From <u>56</u> ft. to <u>66</u> ft., From ft. to ft.																																																									
GRAVEL PACK INTERVALS: From <u>18</u> ft. to <u>66</u> ft., From ft. to ft.																																																									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other																																																									
Grout intervals: From <u>3</u> ft. to <u>18</u> ft., From ft. to ft., From ft. to ft.																																																									
What is the nearest source of possible contamination:																																																									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>Southwest</u> How many feet? <u>150</u>																																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>30</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>30</td> <td>36</td> <td>fine sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>36</td> <td>42</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>42</td> <td>50</td> <td>sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>50</td> <td>55</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>55</td> <td>65</td> <td>sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>65</td> <td>66</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	30	clay				30	36	fine sand				36	42	clay				42	50	sand				50	55	clay				55	65	sand				65	66	clay			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																				
0	30	clay																																																							
30	36	fine sand																																																							
36	42	clay																																																							
42	50	sand																																																							
50	55	clay																																																							
55	65	sand																																																							
65	66	clay																																																							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12-26-03</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>318</u> This Water Well Record was completed on (mo/day/yr) <u>1-5-04</u> under the business name of <u>Weninger Drilling Inc.</u> by (signature) <u>Dickie Gork</u>																																																									