MATED WEI	I. RECORD	Form WV	VC-5			r Resources App. No	o. L	
WATER WELL RECORD 1 LOCATION OF WATER WELL:		Fraction		Section Number Township No. Range Number				
County: Sedawick		1/4 1/4			21	T 28 S		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (G13) information.								
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
			Longiu	Elevation:				
				Datum:	□ wgs 8	4, 🔲 NAD 83, 🔲	NAD 27	
2 WATER WELL OWNER: Mark Bergkamp					Collection Method:			
RR#, Street Address, Box #: 8431 W. 47th St. S.				GPS unit (Make/Model:)				
City, State, ZIP Code : Clearwater, KS 67026					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
				Est. Ac	curacy: [_]	<3 m, 3-3 m,] J-15 III, [_] > 15 III	
3 LOCATE WE		COMDITTED WELL	120		ft.			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 120								
WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1).40 ft. (2) ft. (3) ft. (3) ft. (2) ft. (3) ft. (2) ft. (3) ft. (4) ft. (5) ft. (6) ft. (7) ft. (8) ft. (1) ft. (2) ft. (1) ft. (1) ft. (2) ft. (1) ft. (3) ft. (4) ft. (4) ft. (4) ft. (4) ft. (5) ft. (6) ft. (6) ft. (6) ft. (7) ft. (7) ft. (8) ft. (1) ft. (1								
 	D	n tost data:	r was		atter	nours pun	ipinggpm	
Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm								
NN	Pore Hole Diameter 10 in to							
"								
Sw S	Oil field water simply Dewatering Unite (Specify below)							
1								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
S 1 mile	If yes, mo	o/day/yr sample was sui nfected? ☑ Yes □	Mo					
· '								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: M Glued Clamped Welded Threaded Casing diameter .5								
Casing diameter .5								
THE OF COREEN OR REPEOP ATION MATERIAL.								
Stanless Steel PVC Utner (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
SCREEN OR PERFORATION OPENINGS ARE. Continuous slot								
tt. From 100 ft. ft. to								
GRAVEL PACK INTERVALS: From								
1		Trom	ft to		π. From		. W IL.	
6 GROUT MA	TERIAL: Neat cer	nent	t 🗹 Bento	onite [Other		A to fi	
Grout Intervals:	From tt.	to 😘 n., From	n	. tt. to	п	, From	ft. toft.	
What is the nearest source of possible contamination: ☐ Sentic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Septic to	☐ Fuel stora	orage Abandoned water well						
Sewer li	oht sewer lines		Fertilizer	storage	Oil well/	gas well		
Direction fro	m well Southwest	· — ·			ell100'		LICONIC DETERMALS	
FROM TO	LITHOLO	GIC LOG	FROM	ТО	LITHO.	LOG (cont.) <u>or</u> PL	UGGING INTERVALS	
0 3	Topsoil							
3 15	Clay			ļ	 			
15 65	Medium Sand		 					
65 95	Clay		+					
95 120	Fine Sand			 				
					 			
	 		-	 	 		_	
	 		+		 			
			+	 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was of constructed, reconstructed, or plugged								
1 1 1 / /Januario De la contra l								
Water Well Contractor's License No. 230 Inis Water Well Record was completely by Inio additionally								
under the busin	ess name of Premier P	ump & Well Service,	inc.	by (signature).	I.YWADO.M	est enswers. Send one copy to	
INSTRUCTIONS	: Use typewriter or ball point	pen. <u>PLEASE PRESS FIRM</u>	LY and PKINI	clearly. Ph	Tagleson St. S	uite 420 Toneka Kar	nsas 66612-1367.	
Kansas	Department of Health and Envir 96-5524. Send one copy to WA	onment, Bureau of Water, G	etain one for yo	ur records.	Include fee o	f \$5.00 for each const	ructed well. Visit us at	
retepnone /83-2	70-3324. Bella one copy to WY	http://www.kdheks.g	ov/waterwell/in	dex html				