WATE	R WE	LL RECORD	Form W	WC-5	D	vivision of Water	r Resources App. N	35,172	
		OF WATER WELL:	Fraction		Sect			Range Number	
	nty: Sec		1/4 1/4 N	W/4 NW	/4	28	T 28 S		
Street/Rural Address of Well Location; if unknown, distance & direction   Global Positioning System (GPS) information:									
from nearest town or intersection: If at owner's address, check here									
S. Tyler Rd. and W. 55th ST S.						Longitude: (in decimal degrees)			
0.	, , i ci i i i	. dila vi. ooli oi o.			Elevation:				
						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Tom Bergkamp						Collection Method:			
RR#, Street Address, Box #: 8231 W. 55th St. St.						GPS unit (Make/Model:)			
City, State, ZIP Code : Clearwater, KS 67026						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m									
3 LOCATE WELL									
	TH AN "X" IN 4 DEPTH OF COMPLETED WELL 129 ft.								
SEC	TION BOX: Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr								
	Pump test data: Well water was								
w									
	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
61	SW SE Domestic								
3	Irrigation   Industrial   Domestic-lawn & garden   Monitoring well								
	Was a chemical/bacteriological sample submitted to Department?  Yes No								
	S If yes, mo/day/yr sample was submitted								
ļ <del></del>	1 mile		fected? Ves				,		
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .16 in. to .129 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface. 12 in., Weight .16									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
From									
GRAVEL PACK INTERVALS: From 30 ft. to 129 ft., From ft. to							bo 4		
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From .3									
				□ Livesteel		□ Impostiaida	atamana Ploth	on (on acify balany)	
	☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
	☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ OLD								
Direction from well North  Distance from well .20.									
FROM	TO	LITHOLOG	CLOG	FROM	TO			GGING INTERVALS	
			IC LOO					COING INTERVALS	
0	2	Topsoil		66 73	73	Clay tan/rd,			
2	16	Clay br			87	Sand br, f-			
16	20	Sand br.f-c		87	101		Clay gy, sandy		
20	28	Sand br, v-c, gravel f-c		101	128	Sand br. vf	r-m		
28	30	Clay	128	129	Shale gn				
30	36	Sand br, v-c, gravel f-c							
36	55	Clay tan							
55	56	Sand br, vf-f, clay br							
56	65	Clay tan							
65	66	Sand streak							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year)									
under the	e busines	s name of Premier Pum	p & Well Service, In	iÇ.	by (s	ignature	Joens Kills	2.0.)	
		Use typewriter or ball point pen.							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									