			ario é	_		W A N		
WATER WE	LL RECORD	Form W	WC5			r Resources App. No. Township No.	Range Number	
Country		NW 1/ SW1/ N	WASEY		27	T 28 S	R I FTR DRW	
Street/Rural	Address of Well Location;	f unknown, distance	Glob	Global Positioning System (GPS) information: Latitude: N 57				
from nearest town or intersection: If at owner's address, check here					Latitude: N 37 (in decimal degrees)			
1 Mile WNW of Intersection					Longitude: TAUA			
ch S. Honver and C3rd st					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: OWChan RR#, Street Address, Box #: 62 \$ Ridge Rd City, State, ZIP Code : wich to, KB 67215					Collection Method:  GPS unit (Make/Model: Germin Etrae 20)			
RK#, Street Address, Box #: 6265 5 Ridal Rd					Digital Map/Photo, Topographic Map, Land Survey			
City, State,	AIT COOR ; WICH	16 / W 67215	•	Est.	Accumicy: 0 <	3 m, <b>23</b> /3-5 m,	5-15 m, 🔲 >15 m	
3 LOCATE WELL SI								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
N WELL'S STATIC WATER LEVEL ft. below land surface measured on molday/yr								
	Pump	test data: Well water	r was	£	t after	hours pum	pinggom	
EST. YIELDgpm. Well water was								
w     R   Bore Hole Diameterin. to								
Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)   Industrial   Domestic-lawn & garden   Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
mile  Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING IOINTS: Globel G Clarined G Welded W Threaded								
Casing diameter in to ft., Diameter in to ft., Diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface. 32 in, Weight 7 lbs/ft., Wall thickness or gauge No. 344 40								
TYPE OF SCHEN OF PERFORATION MATERIAL.								
Steel Stainless Steel RPVC Other (Specify)								
Brass Galvanized Steel None used (open boic)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Townered structure Key murched Wire wramped Saw cut Other (specify)								
SCREEN PERFORATED INTERVALS From 11 ft to 51 ft. From								
From								
GRAV	EL PACK INTERVALS:	F10II <b>3.J</b>	nu wo		ft., From	ft.	tofL	
From fi. to ft. From ft. to ft.								
Grout Intervals: From 34 ft to 39 ft to 3 ft. ft. From ft. ft.								
	est source of possible conta	mination:					•	
Septic to	mk [ Lateral lin	es Pit privy	Livestock	bene.	Insecticide Abandoned	storage LIOU	ner (specify below)	
Sewer II	ines Cesspool ght sewer lines Soopago p	it Feedyard	Fertilizer s	torage	Oil well/gas	s well		
	m well		. Distance	from w	eil	,.,.,		
FROM TO	LITHOLOG		FROM	TO	LITHO.LC	OG (cont) of PLU	IGGING INTERVALS	
0 14					ļ	<del> </del>		
14 98		Má 5	<del> </del>		<del> </del>		· · · · · · · · · · · · · · · · · · ·	
343 40	Brown Leun C	That Sant	<del> </del>				<del></del>	
52 53	Brown clay	TYPE JULY	<del>  </del>					
	10							
			<del>                                     </del>		<u> </u>			
ļ			<del> </del>		<del></del>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was & constructed,   reconstructed, or   plugged								
1 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. \$17. This Water Well Record was completed on (mo/day/year)								
/unhisa bilan minis	Use typewriter or ball point pents Kansas Department of Health	and Environment Bureau	of Water Geok	Sev Secili	ML IUUU SW JEC	Keon Di. Buile 420.	LODGERAL PERDESS GOOTY-1301	
Talephone 785-296	-5524. Send one copy to WAT!	ER WELL OWNER and	ctain one for y	our recor	ds. Include <u>fee</u>	of \$5.00 for each c	onstructed well. Visit us at	
http://www.kdbcks.gov/waterweil/index.html.								
KSA 82a-1212								