WATE	R WE	LL RECORD	Form W	WC-5		r Resources App. N		
		OF WATER WELL:				Township No.	Range Number	
Cour	ity: Sec	lawick	1/4 SW 1/4 SE					
		Address of Well Location; i		Global Positioning				
from	from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees)		
						Longitude: , (in decimal degrees)		
					Elevation:			
2 WA	TED W	ELL OWNED.		•	Datum: ☐ WGS 84	I, 🔲 NAD 83, 🗌	NAD 27	
- Ociciny validoe					Collection Method:	Collection Method: GPS unit (Make/Model:)		
G': G: GMP G 1					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City	, State, A	. Wichita.	KS 67215		Fet Accuracy:	010, [] Topograpiii 3 m	S-15 m \square >15 m	
Est. Accuracy:								
		AN "X" IN 4 DEPTH OF COMPLETED WELL 50 ft.						
	TION BO	Description of the Depth(s) Groundwater Encountered (1).30 ft. (2)						
	N	WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr						
		Pump test data: Well water wasft. after hours pumping gpm.						
\ \n	v v	FOT VIET D 18 W-11 A -A L						
w N	Bore Hole Diameter 10 in. to .50 ft., and in. toft.							
	WELL WATER TO BE USED AS:							
	SW SE							
3	☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well							
 • └ ──┴	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
	S If yes, mo/day/yr sample was submitted							
	1 mile	Water well disin	fected? 🗹 Yes 🗌	No			• ,	
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .50								
Casing height above land surface12								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
	CD AN		rom	ft. to	from	π. τ	ιο π.	
	GKAV	EL PACK INTERVALS:	From	n. to	π., From	II. 1	ω π.	
• From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the magnet severe of marible contemination. It., From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ✓ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
✓ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐								
Direction from well Northeast Distance from well 100'								
FROM	TO	LITHOLOGI		FROM		G (cont.) or PLU	GGING INTERVALS	
	5	Topsoil				- () <u>va</u> i <u>D</u> O		
	20.	Clay					•	
	30	Fine Sand					*,	
	45	Coarse Gravel						
	50	Clay						
				 				
								
	· · ·							
							[
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This was allowed to the state of the s								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .8/27/2015 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 8/28/2915 under the business name of Premier Pump & Well Service, Inc by (signature) 1. 20								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								