	WATER WELL RECORI	D Form WWC-5	KSA 82a-1212	
1 LOCATION OF WATER WELL:	FRACTION	SECTION NUMB	BER TOWNSHIP NUMBER	RANGE NUMBER
Left Sedgwick	NE 1/4 NE 1/4	SW 1/4 23	T 28 S	R 1W E/W
Distance and direction from nearest town o	r city street address of well if located within city?		• • • • • • • • • • • • • • • • • • • •	
220 N. Fawnwood Wichita, Kansas				
2 WATER WELL OWNER: ROBL CONSTRUCTION				
	842 W. 21st N.		Board of Ag	riculture, Division of Water Resource
	Vichita, Kansas	ZIP CODE:	Application Nu	mber:
3 LOCATE WELL'S LOCATION	4 DEPTH OF COMPLETED WELL:	116 ft.	ELEVATION:	
WITH AN "X" IN SECTION BOX:				4
N N	Depth of groundwater Encountered:	ft.	ft.	ft.
	WELL'S STATIC WATER LEVEL	30 FT. BELOW LAND	SURFACE MEASURED ON mo/	/day/yr: 2/25/16
N₩ NE	Pump test data: V	Vell water was		s of pumping @ gpm
	51	Well water was	ft. after hour	rs of pumping @ gpm
	Bore Hole Diameter 12 in.	to 116	ft. and in.	to ft.
	WELL WATER TO BE USED AS:		9. Dewater	ing 11. Injection well
SW····~-SE		blic water supply 7. Law		12. Other (Specify below)
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well Was a chemical/bacteriological sample submitted to Department?				
S	Was a chemical/bacteriological sample subm submitted		s Water Well Disinfected?	YES NO
5 TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded 1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded				
CAstanta Constant & Constant SDR-26				
2. PVC 4. ABS Blank casing diameter 5			# Di-	
Blank casing diameter 5		Dia. in. to	ft., Dia.	in. to ft.
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)				
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)				
SCREEN OR PERFORATION OPE	NINGS ARE:			
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)				
2. Louvered shutter 4. K	ey punched 6. Wire wrapped	8. Saw cut	10. Other (specify)	
2. Louvered shutter 4. K	ey punched 6. Wire wrapped		ro. Other (specify)	
SCREEN - PERFORATION INTERV	/AL From 40 ft.	to 116 ft.,	From ft.	to ft.
	From ft.	to ft.,	From ft.	to ft.
GRAVEL PACK INTERVAL	.S: From 24 ft.	to 116 ft.,	From ft.	to ft.
	From ft.			
	FIOIII	to ft.,		to ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug				
Grout Intervals: From		From ft. to	o ft., From	ft. to ft.
What is the nearest source of possib	7 Dit priva	10. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
•	8 0	-	•	
2. Sewer lines 5. Cess Pool 6. Condigo Ligoth And Condigo Ligoth 14. Abalatoh water wen				
	epage pit 9. Feed yard	12. Fertilizer storage		
Direction from well? Wes			How many feet? 10	
From To	LITHOLOGIC LOG	From To	LITHOL	DGIC LOG
0 3 topsoil				
<u>3 20 clay</u>				
20 28 fine sand			· · · · · · · · · · · · · · · · · · ·	
28 116 gray shale	<u>.</u>			
	······································			
	·			
	· · · · · · · · · · · · · · · · · · ·			
<u>}</u>	<u> </u>			
			· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·			
<u> </u>				
	· · · · · · · · · · · · · · · · · · ·			
7 Contractor's or Landowner's C	artification: This water will be a		ted or 3. plugged	under my jurisdiction and
was completed on (mo/day/year) 2/25/2016 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's L	License No. 236 This v	water well record was complet	ted on (mo/day/year) 2/2	9/2016
		by (signature)		-
	arp Well and Pump Service	by (agnature)	IOAA	S. Harb