WATER WELL		WWC-5		ision of Water		*** ***		
Original Record		ge in Well Use		ources App. No.		Well ID		
1 LOCATION OF WATER WELL: County: SEDGWICK		Fraction		tion Number 6	Township Number T 28 S		ge Number	
		NW ¼ NE ¼ SW ¼ First: ASHLEY		NE 1/4 6 T 28 S R 1 E W Street or Rural Address where well is located (if unknown, distance and				
2 WELL OWNER: Last Name: PELZ First: ASHLEY Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Address: 2610 SOUTH LARK LANE								
Address: City: WICHITA State: KS ZIP: 67215								
3 LOCATE WELL								
WITH "X" IN	4 DEPTH OF CO							
SECTION BOX: Depth(s) Groundwater Encountered: 1)				Longitu	de:		(decimal degrees)	
N	WELL'S STATIC WA			al Datum: WGS 84 or Latitude/Longitude:		5.5 □ NAD 27		
	below land surface			(unit make/model:				
NW NE	e, measured on (mo-day-	(0)			
	Pump test data: Well v	water was ft	l.	☐ Land Survey ☐ Topographic Map				
	after hours pumping							
SW SE	after hours pumpinggpm							
	Estimated Yield:3	5gpm				ft. Ground Level TOC GPS Topographic Map		
S 1 mile	Bore Hole Diameter: .	10.5 in to 50	- To and					
mile in. to ft.								
1. Domestic:		ater Supply: well ID		10. □ Oil E	ield Water Supply: Je	ะสรอ		
Household	6. ☐ Dewatering: how many wells?			10. Oil Field Water Supply: lease				
Lawn & Garden	Recharge: well ID	Cased Uncased Geotec						
☐ Livestock 8. ☐ Monitoring: well ID								
2. ☐ Irrigation 3. ☐ Feedlot					a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
4. ☐ Industrial								
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? ■ Yes □ No								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other								
Casing diameter 5 in to 50 ft. Diameter in to ft. Diameter in to ft. Casing height above land surface 16 in Weight 15s/ft. Wall thickness or gauge No. 5.08.7.24								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From .25 ft. to .50 ft., From								
GRAVEL PACK INTERVALS: From 23 ft. to 50 ft. From ft. to ft. From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 3 ft. to 23 ft. From ft. From ft. From ft. Grout ft. Grout ft. Grout ft. From ft. Grout ft. Grou								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
■ Watertight Sewer Lines								
☐ Other (Specify) Direction from well? NORTH Distance from well? 80 + ft.								
10 FROM TO	LITHOLO		FROM		THO. LOG (cont.) or		GINTERVALS	
0 1	TOP SOIL		110111	- 17	The state of the s			
1 13	CLAY							
13 36	MED GRAVEL							
36 50	GRAY CLAY							
			N					
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed. reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) .9/24/2018 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) 10/15/2018 under the business name of WENINGER DRILLING, LLC								
Mail I white copy along with a fee of \$5 00 for each constructed well to: Kansas Department of Health and Environment, Bureza of Water, GWTS Section. 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524								
							7/10/2015	