	WATER WELL	RECOR	RD Foi	rm WV	VC-5 KS	SA 82a-1	212			
1 LOCATION OF WATER WELL: FRACTION					SECTION NUMBER TOWNSHIP NUMBER			RANC	RANGE NUMBER	
Sedgwick	NW 1/4 NV	W 1/4	SW 1	/4	14	i T	28 s	R	1W E/W	
Distance and direction from nearest town or city		ted within city				L		<u> </u>		
5412 W. 44th So.	Wichita, Kans	as								
2 WATER WELL OWNER: NGU	JYEN, Loi									
	W. 44th So.						Board of Agr	iculture, Division	of Water Resource	
CITY, STATE: Wick	hita, Kansas			Zi	P CODE:		Application Nur	nber:		
	DEPTH OF COMPLETE	D WELL:	60	ft.		ELEVATION	l:			
WITH AN "X" IN SECTION BOX:	pth of groundwater Enco	untered:		ft.			ft.		ft.	
	ELL'S STATIC WATER I		24 F	T. BELC	W LAND SUF	RFACE MEA	SURED ON mo/o	day/yr:	1/3/19	
NW NE	Pump tes		Well water			ft. after		of pumping (<u>a</u>) gpm	
		pm	Well water	was		ft. after		s of pumping (
E E	Bore Hole Diameter	12 in		to (60 ft.	and	in.	to	o ft.	
	ELL WATER TO BE US						9. Dewateri	na 11.	Injection well	
SW SE 1	. Domestic 3. Feed	ot 5. P	ublic water	supply	7. Lawn ar	nd garden o	nly	12. Othe	r (Specify below)	
	2. Irrigation 4. Indus	trial 6. C	il field wate	er supply	8. Air cond	ditioning	10. Monitorii	•	,	
,	Mas a chemical/bacteriologic ibmitted	al sample sub	omitted to Dep	artment?	YES	NO ater Well Dis	· · · · · · · · · · · · · · · · · · ·	YES YES	'yr was sample NO	
	iomitted							=		
5 TYPE OF CASING USED: 1. Steel 3. RPM (S	5. Wrought Iron	7. F	iberglass		ther (Specify I	below) C	ASING JOINTS: (Glued	Threaded	
2. PVC 4. ABS	6. Asbestos-Cem	ent 8. C	oncrete tile	SD	R-26			Welded	Clamped	
Blank casing diameter 5	in. to 40	ft.,	Dia.	in,	to	ft.,	Dia.	in. to	ft.	
	10		_							
Casing height above land surface:		We	eight: 2.	35 II	bs. / ft.	Wall	thickness or gaug	ge No. 🕠	214	
TYPE OF SCREEN OR PERFORATION 1. Steel 3. Stainless Steel	N MATERIAL: 5. Fiberglass	7. PV	(C)	9. A	RS	11	Other (specify)			
2. Brass 4. Galvanized	6. Concrete Tile		MP (SR)		sbestos-Cem		None used (open	hole)		
		0.10	VII (OIV)	10. /-	(3DC3103-CCIII	CITE 12.	None asea (open	noic)		
SCREEN OR PERFORATION OPENIN								44 N	- (t - l -)	
1. Continuous slot 3. Mill slot 5. Gauzed wrapped				7. Torch cut		9. Drilled holes		11. None (open hole)		
2. Louvered shutter 4. Key p	unched 6. Wire v	rapped		(8. Sa	w cut	10. O	ther (specify)			
SCREEN - PERFORATION INTERVAL	From 4) ft.	to	60	ft.,	From	ft.	to	ft.	
	From	ft.	to		ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERVALS:	From 2	4 ft.	to	60	ft.,	From	ft.	to	ft.	
	From	ft.	to		ft.,	From				
6 GROUT MATERIALS: 1 Next						-10111	ft.	to .	ft.	
U. Iveat		Cement Gr			3. Bentonite		Other bent	onite hole	plug	
Grout Intervals: From 4 What is the nearest source of possible or	ft. to 24	ft.,	From	ft.	to	ft.,	From	ft.	to ft	
1. Septic tank 4. Latera	7 04	rivy	10.	Livestoc	k pens	13. Inse	cticide storage	15. Oil w	ell/Gas well	
			11.	Fuel sto	rage	14. Aba i	ndon water well	16. Other	r (specify below)	
3. Watertight sewer line 6. Seepa		vard	12	Fertilize	r storage					
Direction from well? West	ige pit	,				How	many feet? 10 t	ft plus		
From To	LITHOLOGIC LC	G		From	То			GIC LOG	<u> </u>	
0 3 topsoil							Emilozo	<u> </u>		
3 28 clay										
28 42 fine sand										
42 60 medium sand										
					 					
					+ +					
					 					
					∤					

Contractor's or Landowner's Certification: This water well was 1.

was completed on (mo/day/year)

Kansas Water Well Contractor's License No. 236

Constructed 2. reconstructed or 3.

and this record is true to the best of my knowledge a

This water well record was completed on (mo/day/ under my jurisdiction and

and this record is true to the best of my knowledge and belief. This water well record was completed on (mo/day/year)

1/4/19

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp