WATER	WELL F	RECORD	Form '	WWC-5		Divisi	ion of Water	r				
		Correction		e in Well Use			rces App. N			Well ID		
1 LOCATION OF WATER WELL:			Fraction	Section N			1					
	: SEDGW		NEW NEW SW					1 □ E ■ W				
WELL OWNER: Last Name: Business. CMA HOMES INC.				First:	Street or Rural Address where well is direction from nearest town or intersection): If							
Address: Address:	РО ВОХ	226		2621 SOUTH LARK CT, WICHITA, KS, 67215					The state of the s			
City:	GODDAF		ZIP 67052									
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 50 ft 5 Letitude:											(decimal degrees)	
WITH "				Encountered: 1) ft.				:		- 1		
				3) ft., or 4		1	Horizo	ntal l	Datum: WGS 8	4 □ NAD	83 NAD 27	
		WELL'S S	WELL'S STATIC WATER LEVEL:				GPS (unit make/model:)					
	1		below land surface, measured on (mo-day-yr)									
NW	- XNE		above land surface, measured on (mo-day-yr)								No)	
	,		Pump test data: Well water was				6 Elevation:ft. Ground Level TOC					
W	E	arter	Well water was ft.									
SW	SE	after	after hours pumping gpr									
		Estimated Y	Estimated Yield:gpm									
S Bore Hole I			le Diameter: 11.5 in. to 50									
1 r				in. to	ft.		<u> </u>		Omer			
7 WELL V		D BE USED		otae Cunalius simili ITS			10 🗆 🔾	(Ein)	d Water Summire 1	0900		
1					ter Supply: well IDg: how many wells?			10. Oil Field Water Supply: lease				
			echarge: well ID			Cased Uncased Geotechnical						
1				g: well ID					d: how many bore			
				al Remediation: well ID			a) Closed Loop				tical	
3. ☐ Feedlot ☐ Air Sparge							b) Open Loop Surface Discharge Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:												
Water well disinfected? ■ Yes □ No												
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other												
Casing height above land surface 18 in. Weight 18. Ibs./ft. Wall thickness or gauge No. SDR-23												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)												
Louvered Shutter												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Reptonite Other												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From												
Nearest sou	rce of possib	de contaminat	ion:									
Septic			Lateral Line				ivestock Per			cide Storag		
Sewer			Cess Pool	☐ Sewage ☐ Feedyard			uel Storage			oned Water		
■ Watertight Sewer Lines												
Direction fro	om well? .SO	DUTH		Distance from	well? 90 +				ft			
10 FROM	TO		LITHOLO	GIC LOG	FRON		TO	LITE	HO, LOG (cont.) o	r PLUGGI	NG INTERVALS	
0	1	TOP SOIL										
20	20 43	CLAY MED GRAV	/CI			_						
43	50	CLAY	EL			_						
TV	30	OLA I				-						
						_						
					Notes			· b				
						٧	WELL ONLY	,				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed. Treconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .10/25/20.18 and this record is true to the best of my knowledge and belief.												
Kansas Wa	urisuiction a iter Well Co	mu was comp intractor's Lia	ense No	no-day-year) . 1.012 884 This	Water Well	uia ir Reco	ns record t rd was con	is iru nolei	ted on (mo-day-v	ear) 11/1	8/2018	
under the b	usiness nan	ne of .W.EN.II	NGER.DR	ILLING LLC		.Sigi	nature . <i>M</i>	AR.	SHA KRZG	KPOW	/D/Sc/	
under the business name of WENINGER DRILLING LLC. Signature WARDHA KROUTED SIGNATURE Mail 1 white copy along with a fee of \$5 00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,												
				66612-1367. Mail one				ne for	your records. Telep		6-5524. ed 7/10/2015	
visit us at nit	a.rrwww.kanet	s.gov/waterwell	muex.nm1		NOA 828	-121	<u> </u>			KCVISE	u //10/4015	