KOLAR Document ID: 1471531

WATER WELL R			WWC-5		vivision of Wat	-		Well ID			
Original Record Correction Change LOCATION OF WATER WELL:			e in Well Use Fraction		esources App. 1 ection Numb	1	Township Numb		aa Numbar		
County:						T S		er Range Number $R \square E \square W$			
2 WELL OWNER: L		reet or Rural Address where well is located (if unknown, distance and									
Business:	ast Name.		First:		on from nearest town or intersection): If at owner's address, check here:						
Address:											
Address: City: State: ZIP:											
City: 3 LOCATE WELL											
WITH "X" IN			IPLETED WELL:								
SECTION BOX:	OX: Depth(s) Groundwater Encountered: 1) 2)					Longitude:(decimal degrees) Datum: 🗌 WGS 84 🔲 NAD 83 🔄 NAD 27					
Ν	WELL'S ST						AD 27				
			, measured on (mo-day				Latitude/Longitude				
NW NE		above land surface, measured on (mo-day-yr)				☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)					
	Pump test da				□ Land Survey □ Topographic Map						
W X E	after	hours			Online Mapper:						
SW SE	after	Well water was ft. after hours pumping gpm									
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC					
S		Bore Hole Diameter: in. to f				Source: Land Survey GPS Topographic Map					
1 mile		in. to ft.					□ Other				
7 WELL WATER TO BE USED AS:											
1. Domestic:											
☐ Household ☐ Lawn & Garden	— 8 3										
	8. Monitoring: well ID					Cased Uncased Geotechnical 12. Geothermal: how many bores?					
2. Irrigation	9. Environmental Remediation: well ID					a) Closed Loop 🔲 Horizontal 🗌 Vertical					
3. 🗌 Feedlot	🗌 Air Sparge 🛛 Soil Vapor Extr				b) O	b) Open Loop 🔲 Surface Discharge 🔲 Inj. of Water					
4. \Box Industrial \Box Recovery \Box Injection13. \Box Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From											
Grout Intervals: From ft. to ft., From ft. to ft. ft. to ft. or ft. ft.											
Nearest source of possibl											
Septic Tank		ateral Line			Livestock Pe			cide Storage			
Sewer Lines		ess Pool	Sewage L		Fuel Storage			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM TO		ITHOLOG		FROM			HO. LOG (cont.) or		G INTERVALS		
<u> </u>											
<u>├</u>											
				Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
Kansas Water Well Con	itractor's Lice	nse No.		ater Well R	ecord was co	mple	ted on (mo-dav-ve	ear)			
under the business name	e of					r - 2	······································				
KS Department of Hashing	Send one copy to	WATER W	ELL OWNER and retain	one for your i	ecords. Fee of \$	5.00 f	or each <u>constructed</u> we	II. 7 Tolonhor	785 206 2565		
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										