WATER WELL R		WWC-5		sion of Water		W 11 75	
Original Record		e in Well Use		urces App. No.	T	Well ID	
1 LOCATION OF WATER WELL: Fraction					Township Numbe		
County: PLATT "NE" NE "NE "NE				17	T 28 S	R 14□E 🗷 W	
2 WELL OWNER: Last Name: Borho First: David Street or Rural Address where well is located (if unknown, distance and							
Business:							
Address: 582 Sunsise 7 miles west of Pratt on Hwy St TO SW 703,							
Address: PrATT	State: K	7ID. 67/24	2 1/2-	Canth To	Su 201455	1/2 WEST South	
3 LOCATE WELL						way	
WITH "X" IN	4 DEPTH OF COMPLETED WELL:						
SECTION BOX:	Depth(s) Groundwater Encountered: 1) ft.					(decimal degrees)	
N	2) ft., or 4) Dry Well			Horizontal Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27			
[WELL'S STATIC WATER LEVEL:				Source for Latitude/Longitude:		
X	below land surface, measured on (mo-day-yr). /- 2 2.0						
NW NE	above land surface, measured on (mo-day-yr)			(WAAS enabled? Yes No)			
	Pump test data: Well water was			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
W	Well water was ft.				☐ Опппе Маррет		
SW SE	after hours numping gpm						
	Fetimated Vield				Ground Level TOC		
S	Bore Hole Diameter:	ft. and		Source: Land Survey GPS Topographic Map			
mile		in. to	ft.		Other		
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID				ase	
Household	· · · · · · · · · · · · · · · · · · ·				11. Test Hole: well ID		
Lawn & Garden	7. Aquifer Recharge: well ID						
☐ Livestock	8. Monitoring: well ID						
2. Irrigation	9. Environmental Remediation: well ID						
3. Feedlot							
4. Industrial	☐ Recovery						
Was a chemical/bacteriological sample submitted to KDHE? Yes Mo If yes, date sample was submitted:							
Water well disinfected?	Yes No						
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ▶ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
Louvered Shutter							
SCREEN-PERFORATED INTERVALS: From							
OCCONTENSALO DE LA CONTENSALO DEL CONTENSALO DE LA CONTEN							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Septic Tank	E contamination:	es 🔲 Pit Privy	П	Livestock Pens	☐ Insectici	ide Storage	
Sewer Lines	☐ Cess Pool	Sewage L		Fuel Storage		ned Water Well	
☐ Watertight Sewer Lin				Fertilizer Storage			
Other (Specify)	•		_	•	,• 🗀 •		
Direction from well?		Distance from v	vell? 15	OFT	ft.		
10 FROM TO	LITHOLO	GIC LOG	FROM		THO. LOG (cont.) or	PLUGGING INTERVALS	
0 10	DAIR BM SI						
10 70	Bon Sandy						
70 85	Fine TAN 54						
85 105		w/c/Ay Stream	. c				
105 175	BAZ TAM S						
175 180	med sand	A15					
100	ITICE SMINE		Notes:				
110163.							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Sconstructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) /-2-30 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 672. This Water Well Record was completed on (mo-day-year) under the business name of Crowd's water well Six. Signature							
under the business name	of Crowdis	water well -	SUR. Si	gnature	DAW /MI	<i>Y</i>	
Mail 1 white copy alo	ng with a fee of \$5.00 for ea	ch constructed well to: Ka	ansas Department	of Health and En	vironment, Bureau of Wa	ner, GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-121				.12		Revised 7/10/2015	