KOLAR Document ID: 1579834

	WELL R			WWC-5			ion of Wate					
		Correction		e in Well Use			rces App. N			Well ID		
1 LOCATION OF WATER WELL: Fraction					1/4 1/4	Secti	ion Number Township Number Range Number					
County: 1/4 1/4 1/4						_						
							treet or Rural Address where well is located (if unknown, distance and					
Business: Address:					direction	ection from nearest town or intersection): If at owner's address, check here:						
Address:												
City:			State:	ZIP:								
3 LOCATE WELL WITH WY IN 4 DEPTH OF COMPLETED WELL:							5 Lotit	.do.			(1	
	WITH "A" IN Donth(a) Groundwater Encountered: 1)											
	SECTION BOX: Deput(s) Groundwater Encountered. 1) N $2) \dots \dots \dots n ft. 3) \dots \dots n ft., or 4) \square$											
WELL'S STATIC WATER LEVEL:								Source for Latitude/Longitude:				
		below land surface, measured on (mo-day-yr)					GPS (unit make/model:)					
NW	NE	above land surface, measured on (mo-day-yr)					(WAAS enabled? ☐ Yes ☐ No)				No)	
		Pump test data: Well water was ft.					□ Land Survey □ Topographic Map					
W	E	alter	after hours pumping				Online Mapper:					
X - SW	SE	after hours pumping										
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC						
-	S	Bore Hole Diameter: in. to f					Source: Land Survey GPS Topographic Map					
1 n			in. to f						Other	•••••		
7 WELL WATER TO BE USED AS:												
1. Domestic: 5. □ Public Water Supply: well ID												
☐ Housel			6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID									
			8. Monitoring: well ID									
2. Irrigati				al Remediation: well								
3. \Box Feedlor												
4. Industrial Recovery Injection							13. 🗌 Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steel PVC Other (Specify)												
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.												
] Cement grout 🛛 🛛								
				ft., From	ft. to		ft., From		ft. to	ft.		
		e contaminati		potential source of co						1.0		
Septic 7			Lateral Line Cess Pool	es			ivestock Pe uel Storage		☐ Insectio ☐ Abando			
	ight Sewer Lir			☐ Sewage I ☐ Feedyard			ertilizer Sto					
□ Other (Specify)												
				Distance from		<u></u>			ft.			
10 FROM	TO	Ι	JTHOLOG	GIC LOG	FRO	М	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my ju	urisdiction ar	nd was compl	leted on (n	no-day-year)		and th	nis record i	s tru	e to the best of m	y knowled	lge and belief.	
Kansas Wa	ter Well Con	tractor's Lice	ense No	This V	Vater Well	Reco	rd was cor	nple	ted on (mo-day-ye	ear)		
under the b	usiness name	ot		ELL OWNED and rates			da Ess -f ¢ 5		or analy accepted	 11	<u></u>	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
-		ks.gov/waterwel		,,, ,					,		SA 82a-1212	