LOCA	TION OF WA	TED MEY L.	FRACTION	Water Well Reco	rd Form WWC-			
LOCATION OF WATER WELL:			I			Section Number	Township Number	Range Number
								R 1W E/W
Distance and direction frem nearest town or city street address of well if located within city?								
31	40 S.	West Street	et (31s	st and Wes	st St.)	Wichi	ta, Kansas	
2 WA	TER WELL (OWNER: CITY C	F WICHIT					
RR#,	ST. ADRESS,	BOX#: 455 N.	Main				Board of Agricultur	e, Divivsion of Water Resource
СІТУ	, STATE, ZIF		a, Kansa	s			Application Nu	mber:
3 LOCAT	TE WELL'S I			PLETED WELL	40	ft. EL	EVATION:	
MAN "X'	' IN SECTIO	N POV.		ater Encountered	1	ft.	2 ft.	3 ft.
		WE	LL'S STATIC W Pump test		•		• • •	
'	NW	NE	-		water was	ft.	after hours p	
۽ ا			Yield	81	water was	ft.	after hours p	
1¥ii w			e Hole Diameter	12 in.	to 40	ft.		n. to ft.
			LL WATER TO I		5 Public water		•	1 Injection well
1 1	sw		1 Domestic	3 Feedlot	6 Oil field wa		<u>-</u>	2 Other (Specify below)
]		1 ! ! !	2 Irrigation	4 Industrial	7 Lawn and	-	10 Monitoring well	
1 +	/	Was	s a chemical/bacte	riological sample s	ubmitted to D	epartment? Yes	No X ; If yes	s, mo/day/yr sample was
S submitted Water Well Disinfected? Yes X No								
5 TY	PE OF CA	SING USED:		5 Wrought iron	. 8	8 Concrete tile	CASING JOINTS:	Glued X Clamped
1 Stee	l	3 RMP (SR)		6 As bestos-Cem	ent 9	Other (Specify l	below)	Welded
2 PVC 4 ABS 7 Fiberglass SDR-26 Threaded								
Blank casing Diameter 8 in. to 20 ft., Dia in. to ft., Dia in. to ft.								
	_	•		•		lbs./ft.	Wall thickness or gauge No.	.332
Casing height above land surface 24 in., weight 5.59 lbs./ft. Wall thickness or gauge No332 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Stee		3 Stainless Steel		5 Flberglass		RMP (SR)	11 other (spec	rify)
2 Bras		4 Galvanized steel		6 Concrete tile		9 ABS		
22 Note and Open note:								
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louve	red shutte	r 4 Key punch	ed	7 Toro	ch cut		10 Other (specify)	
SCREEN-PERFORATION INTERVALS: from 20 ft. to 40 ft., From ft. to ft.								
			from	f	t. to	ft., Fron	m ft. í	to ft.
	GRAV	EL PACK INTERVAL	S: from 20	_	ft. to 40	ft., Fro		
			from		ft. to	ft., Froi		
6 GRO	UT MAT	ERIAL: 1 Neat ceme		ement grout		entonite	4 Other	
	itervals:	_	to 20	ft. From		to	A F	ft. to ft.
What is the nearest source of possible contamination:				ic riom	14.	10 Livesto	ft. From ock pens 1	4 Abandon water well
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel s	_	5 Oil well/Gas well
			8 Sewage lag	oon .			6 Other (specify below)	
Sees poor								` ' '
The state of the s								
Direction from well? How many feet? FROM TO PLUGGING INTERVALS								
O	2	topsoil, s		<u> </u>	FROM	 '` 	I DOGGING IN	L MAN T ARENO
	<u> </u>			4,4				
2	5	silty sand	<u> </u>			+		
5	10	fine sand				+		
10	40	medium to		ang				
1	 	and gravel						
	<u> </u>							
		····						
L	L							
		1		,				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No								
Under the business name of Harp Well & Pump Service. Inc by (signature)								
							Jane	Frederick