		WATE	R WELL RECORD	Form WWC-5	KSA 82a	1212	
1 LOCATION OF W	ATER WELL:	Fraction		Sec	tion Number	Township Number	Range Number
County: Sedgv		SE 1/4		SE 1/4	10	т 28 ѕ	R IW E/W
		-	ddress of well if locate	ed within city?			
3656 S. Gi		chita,Kan	sas				
2 WATER WELL O		Roy					
RR#, St. Address, E		S. Gilda (	Ct.			Board of Agriculture,	Division of Water Resource
City, State, ZIP Code	. Wichi	ta,Kansas				Application Number:	
LOCATE WELL'S	LOCATION WITH 4	DEPTH OF C	OMPLETED WELL.	65	ft. ELEVA	ΓΙΟΝ:	
AN "X" IN SECTION	N BOX:	- Depth(s) Ground	water Encountered	1	ft. 2		3
7		WELL'S STATIC	WATER LEVEL	<u>4</u> 0 ft. b	elow land surf	ace measured on mo/day/y	r7 <del>-</del> 30 <del>-</del> 91
Nw	- NE	Pum	test data: Well wat	er was	ft. af	ter hours p	umping gpm
Nw	-   -	Est. Yield	gpm: Well wat	er was	ft. af	ter hours p	umping gpm
<u></u> i		Bore Hole Diame	eter11in. to	6	Ďft., ε	ınd	n. to
ž w i	<b>1</b>   \	WELL WATER 1	O BE USED AS:	5 Public water	r supply	8 Air conditioning 11	Injection well
-	1 1 1	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)
SW	SE	2 Irrigation	4 Industrial			0 Monitoring well	
1		Was a chemical/	bacteriological sample	submitted to D	epartment? Ye	s; If ye	s, mo/day/yr sample was sul
I -	5 1	mitted			Wat	er Well Disinfected? Yes	X No
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINTS: Glu	ed X Clamped
1 Steel	3 RMP (SR	)	6 Asbestos-Cement	9 Other	(specify below	) Wel	ded
2 PVC	4 ABS		7 Fiberglass	SDR-26	5	Thre	eaded
Blank casing diameter	ər 5 i	n. to 4.	ft., Dia	in. to		ft., Dia	. in. to ft.
Casing height above	land surface	12	.in., weight	2.29	lbs./f	t. Wall thickness or gauge	No <b>. 214</b>
TYPE OF SCREEN	OR PERFORATION	MATERIAL:		7 PV	С	10 Asbestos-cem	nent
1 Steel	3 Stainless	steel	5 Fiberglass	8 RM	IP (SR)	11 Other (specify	/)
2 Brass	4 Galvanize	d steel	6 Concrete tile	9 <b>A</b> B	S	12 None used (d	pen hole)
SCREEN OR PERF	DRATION OPENING	S ARE:	5 Gauz	zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous s	slot 3 Mill	l slot	6 Wire	wrapped		9 Drilled holes	
2 Louvered shi	utter 4 Ke	y punched	7 Torcl	h cut		10 Other (specify)	
SCREEN-PERFORA	TED INTERVALS:	From	45 ft. to .	65	ft., Fron	n , , , , ft.	toft.
		From	ft. to .		ft., Fron	n	toft.
GRAVEL P	ACK INTERVALS:	From	24 ft. to .	65	ft., Fron	n ft.	toft.
_		From	ft. to		ft., Fron	n ft.	to ft.
GROUT MATERIA	AL: 1 Neat ce	ement	2 Cement grout	3 Bento	nite 4	Other	
Grout Intervals: Fr	rom 4. f	t. to	4. ft., From	ft.	to	ft., From	ft. to ft.
What is the nearest	source of possible of	ontamination:			10 Livest	ock pens 14	Abandoned water well
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage 15 Oil well/Gas well		Oil well/Gas well
2 Sewer lines	5 Cess p		8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)		Other (specify below)
3 Watertight se	ewer lines 6 Seepa	ge pit	9 Feedyard		13 Insect	icide storage	,
Direction from well?	Sout	h			How man	y feet? 60	
FROM TO		LITHOLOGIC	LOG	FROM	то	PLUGGING	INTERVALS
$\frac{9}{3}$ $\frac{3}{27}$	topso	il					
i i	clay						
27 43	fine						
43 65	mediu	m sand					
					†       †           †		
	1						
7 001704070510	OD LANDOWNEE	O OFFICIAL	ONL This was "			noterioted as (0) alicenses	ador my juriodiation and
							nder my jurisdiction and was
completed on (mo/da	ıy/year)	7-30-9	<u></u> ,	<del></del>	and this recoi	u is true to the best of my K	nowledge and belief. Kansa:
			This Water V			700	
under the business r	name of Harp	Well and	Pump Service,	Inc.	by (signat		(mora)
INSTRUCTIONS: Use of Health and Enviro	e typewriter or ball point ponnent, Bureau of Water,	en. <i>PLEASE PRESS</i> Topeka, Kansas 6662	FIRMLY and PRINT clearly. F 0-7320. Telephone: 913-296-	Please fill in blanks, 5545. Send one to	underline or circle WATER WELL OV	the correct answers. Send to three	e copies to Kansas Department ds.