I.I				R WELL RECORD 1	orm WWC-5						
		TER WELL:	Fraction			tion Number			į	ige Num	
	Sedgwick			NW 1/4 SW	1/4	12	T 28	S	R	1	E(W)
Distance a	and direction	from nearest town of	or city street a	ddress of well if located	within city?						_
	3734 S.	West Wichita, K	S					MW-3			
2 WATE	R WELL OW	NER: W.L. Field	dsTrucking		-						
		x # : 3656 S. We					Board o	f Agriculture,	Division of	Water	Resources
		Wichita, K							DIVISION OF	water i	, leadurces
								ion Number:			
3 LOCAT	IN SECTIO			OMPLETED WELL							
\\\\	IIV OLOTIO	√ I De	epth(s) Ground	water Encountered 1.	11.0	ft	2	ft. 3	3		ft.
7	į –	ı WE	ELL'S STATIC	WATER LEVEL . 10.8	3,1 ft. b	elow land su	rface measured	on mo/day/yr	1/5/9		
1		1	Pumi	test data: Well water	was NA	ft. a	after	hours pu	mping		gpm
	WW	NE Fs		gpm: Well water							
¥. w -	W I I Bore Hole Diameter 6.0 in to 18.0 ft., and in to in to										
- 1										1	
	162 W = 1 = 16 = 1										
	1		2 Irrigation			•					
l↓ L	t	l Wa	as a chemical/l	bacteriological sample su	ubmitted to D	epartment? Y	'esNo	X; If yes	, mo/day/y	r sample	e was sub-
		mit	tted			Wa	ater Well Disinfe	cted? Yes	1	No x	
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING .	JOINTS: Glue	d (Clamped	j.
1 St	eel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify belo	w)	Weld	ed	<i></i> .	
2 P\	/C	4 ABS		7 Fiberglass			·	Thre	aded	.	
			to 7.0	ft., Dia	in to		ft Dia				
				in., weight							
				.in., weight							
		R PERFORATION N				_		Asbestos-cem			
1 St		3 Stainless ste		5 Fiberglass		IP (SR)		Other (specify)			
2 Br		4 Galvanized		6 Concrete tile	9 AB	S	12 1	lone used (or	•		
SCREEN	OR PERFO	RATION OPENINGS	ARE:	5 Gauze	d wrapped		8 Saw cut		11 None	(open	hole)
1 Co	ontinuous sid	ot Sa Mills	lot	6 Wire w	rapped	apped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From. 7.0											
			From	ft. to		ft Fro	om	ft. 1	:o. <i>.</i>		ft.
	GRAVEL PA	CK INTERVALS:	From 6.	0 ft. to	18.0	ft Fro	om	ft. :	· · · · · · · · · · · · · · · · · · ·		
,	G			ft. to					ю.		
6 GROU	T MATERIAI	· 1 Nost com		2 Cement grout		nito 4	Other Vo	lclay Grou	ıt		
				_							
				ft., From	π.						
What is the nearest source of possible conta							stock pens		bandoned		veli
1	1 Septic tank 4 Lateral lin			nes 7 Pit privy		1¥ Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess poo			ol	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)			
3 W	atertight sev	ver lines 6 Seepage	e pit	pit 9 Feedyard 13			cticide storage				
Direction	from well?	East				How ma	any feet?	45.0			
FROM	ТО		LITHOLOGIC	LOG	FROM	ТО		PLUGGING	NTERVAL	S	
0.0	2.5	Sandy loam, bro	own								
2.5	12.0	Sand, pale brow									
12.0	15.0	Sand, pale brow		avel				-			
	T	Sand and grave			 						
15.0	18.0	Sand and grave	i, pale bro	·W1)	+						
	-										
	ļ					 					
	ļ					<u> </u>					
				a contained to the state of the	<u> </u>	ļl					
					İ	1					
					1	1					
	+					†					
	1										
ļ	 			THE SECTION OF THE SE	+	<u> </u>					
ļ.,	<u> </u>	ł		74 MALVOOR	.L	1					
7 CONT	RACTOR'S	OR LANDOWNER'S	CERTIFICAT	ION: This water well wa	s (X) constru	cted, (2) rec	onstructed, or (3	B) plugged un	der my jur	sdiction	and was
completed on (mo/day/year)											
Water Well Contractor's License No											
under the business name of HWS Technologies Inc. by (signature)											
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send up three copies to Kansas Department											
of Hea	uth and Environ	nent, Bureau of Water, Top	peka, Kansas 6662	20-7320. Telephone: 913-296-55	45. Send one to	WATER WELL	DWNER and retain o	ne for your record	s.	Дори	