MW	1-4	111106	√ wati	ER WELL RECORD	Form WW	C-5 K	(SA 82a-	1212		- · · · · · ·		
	ION OF WA		Fraction		15	Section N		Township N	umber	Range N	umber	
	Sedzwi					/1		T 28	S	R /	E/ (
Distance a	and direction	from nearest tow South W	vn or city street a	address of well if located 28' Well N. 4	d within city	ids.						
2 WATE		VNER: Josse				0						
RR#, St.	Address, Bo	x # : Do Bo	× 17185					Board of A	Agriculture,	Division of Water	er Resources	
	e, ZIP Code	· Wi	chita, KS	67215				Application	Number:			
3 LOCAT	E WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL	15	ft.	ELEVAT	TION:				
AN "X"	' IN SECTIO	N BOX:		dwater Encountered 1								
I T	l l			WATER LEVEL /.								
	1			p test data: Well wate								
	NW	NE		gem: Well water								
اا	i		Bore Hole Diam	eterin. to			ft., a	nd	ir	ı. to		
₩ W	1		WELL WATER	TO BE USED AS:	5 Public w	ater sup	ply 8	B Air conditioning	11	Injection well		
7	1	!	1 Domestic	3 Feedlot	6 Oil field	water su	ipply 9	9 Dewatering	12	Other (Specify	below)	
	3W	3°	2 Irrigation	4 Industrial	7 Lawn an	d garder	n only 🥊	Monitoring well)			
[i		Was a chemical	bacteriological sample s	submitted to	Departn	nent? Ye	sNo	O; If yes	, mo/day/yr sam	ple was sub-	
		5	mitted				Wate	er Well Disinfecte	d? Yes	No /	Ø	
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Cor	crete tile	е	CASING JO	NTS: Glue	ed Clamp	ed	
1 St	e el	3 RMP (SF	٦)	6 Asbestos-Cement	9 Oth	er (speci	ify below))	Welc		. ,	
(\$A)	VC	A ABS		7 Fiberglass						aded Lus		
Blank cas	ing diameter	·.ﻜੑੑ <i>៶</i> ַੑੑੑੑ੶੶੶੶੶ੵ	.in. to	ft., Dia	in.	to		ft., Dia		in. to	ft.	
				.in., weight . • 203		<u></u>	Ibs./ft	t. Wall thickness	or gauge N	10. 2.15.9		
TYPE OF	SCREEN O	R PERFORATION	N MATERIAL:		Q	PVC)		10 Ast	estos-cem	ent		
1 St		3 Stainless	steel	5 Fiberglass		RMP (SF	₹)	11 Oth	er (specify))		
2 Brass 4 Galvanized steel 6 Concrete tile									` '	used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wi						8 Saw cut 11 None (open hole)					n hole)	
•	ontinuous slo		ill slot	6 Wire	wrapped			9 Drilled holes				
l	ouvered shut		ey punched	7 Torch	cut)	~		10 Other (specify	/)			
SCREEN-	PERFORAT	ED INTERVALS:	From 🚚									
i		01/ 11/2550144		ر								
'	GRAVEL PA	CK INTERVALS:		4 ft. to ft. to	7.3							
6 GROU	T MATERIAL	· Neat o	From	2 Cement grout	(2.80	ntonite		Other				
Grout Inte		/ 11	1	ft., From								
1		nurce of possible	contemination:				0 Livesto			Abandoned water		
What is the nearest source of possible centernination: 1 Septic tank 4 Lateral lines 7 Pit p								torage		Dil well/Gas well		
	2 Sewer lines 5 Cess pool							er storage		Other (specify be		
i		yer lines 6 Seep	•	9 Feedyard	7011			cide storage	10 0	Action (Specify De	,	
ı	from well?		ago pit	3 Toodyard			low many	77.4				
FROM	TO	Ī	LITHOLOGIC	LOG	FROM	T			UGGING I	INTERVALS		
0.0	3.5	Fill same	l eiltu c	laver								
3.5	8.5	Sund . f-	a. sruin V	, clayer	1							
8.5	15.0	Sand, m	-c. grain									
			0									
	1											
7 CONT	RACTOR'S	OR LANDOWNER	S CERTIFICAT	ION: This water well wa	as (Licons	tructed	(2) recon	structed, or (3) p	lugged und	der my jurisdiction	on and was	
completed	on (mo/day	/year) 2-10-	95					d is true to the be	st of my kn	owledge and be		
		's License No		This Water W	ell Record	was com	pleted or	n (mo/day/yr) . 🤾	×20-9	<u> 5.</u>		
under the	business na	me of GST				by	/ (signatu	ire) Say	limit	mg		
				FIRMLY and <u>PRINT</u> clearly. Plea 20-0001. Telephone: 913-296-5							epartment	