		WATE	R WELL RECORD	Form WWC	5 KSA 82	a-1212		
LOCATION OF WA		Fraction	. /_	Se	ection Number		Range Number	
County: King		1/4		SE 1/4	7	т 28 в	R 10 E(W)	
Distance and direction			ddress of well if loca	ted within city?	•			
	am 1S 1W 3							
WATER WELL OW	_{NER} Paul H	agaman	Brandt	Drilli	ng			
RR#, St. Address, Bo	x# R.R. 1		105 S.	Broadw	ау#920	Board of Agriculture,	Division of Water Resources	
City, State, ZIP Code	Isabel	, Ks. 67	7065 Wichit	a, Ks.	67202	Application Number:	T89-164	
LOCATE WELL'S L	OCATION WITH 4	DEPTH OF C	OMPLETED WELL	110	# FLEV	ation: unkno	wn	
, AN "X" IN SECTION	N BOX:	epth(s) Ground	water Encountered	1 45	ft	ATION: unkno	3 ft	
-	i w	FIL'S STATIC	WATER I EVEL	45 #	helow land si	rface measured on mo/day/v	3-20-89	
	i ''	Pumr	test data: Well w	ater wae	#	after hours p	umning	
NW	NE	Viola 70	gene: Well we	ator was		after hours p	umping gpm	
<u> </u>	! 5	st. Held		alerwas	10 " "	after hours p	umping gpm	
* w 	E D	ore note Diame	RefIn. (.O		and		
-						•	Injection well	
SW	SE	1 Domestic	3 Feedlot	- 6 Oil field w	ater supply.	9 Dewatering 12	Other (Specify below)	
	.1.	2 Irrigation				10 Monitoring well		
			pacteriological sample	e submitted to l		∕eslf yes		
		itted				ater Well Disinfected? Yes		
TYPE OF BLANK			5 Wrought iron			CASING JOINTS: Glue	ed . 🚣 Clamped	
1 Steel	3 RMP (SR)		6 Asbestos-Cemer				ded	
-5-b∧€	4 ABS	00	7 Fiberglass			Thre	eaded	
Blank casing diameter	نېip.	. to	ft., Dia	in. t ۾	0	ft., Dia	in. to ft.	
Casing height above la	and surface	£	.in., weight		Ibs	./ft. Wall thickness or gauge I	vo scn•40	
YPE OF SCREEN OR PERFORATION MATERIAL:					7 PVC 10 Asbestos-cement			
1 Steel	1 Steel 3 Stainless steel				MP (SR)	11 Other (specify)		
2 Brass 4 Galvanized steel			6 Concrete tile	crete tile 9 ABS		12 None used (o	pen hole)	
SCREEN OR PERFORATION OPENINGS ARE:			5 Gai	5 Gauzed wrapped		8 Saw cut	11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire v				e wrapped		9 Drilled holes		
2 Louvered shut	er 4 Key	punched	7 Tor	ch cut		10 Other (specify)		
SCREEN-PERFORATI	ED INTERVALS:	From	. 90 ft. to	···· †'ŦĠ' '	ft., Fro	om ft.	toft.	
		From	ft. to		ft., Fro	om ft.	to	
GRAVEL PA	CK INTERVALS:	From		TTO	ft., Fro	om ft.	toft.	
		From	ft. to		ft., Fro	om ft.	to ft.	
GROUT MATERIAL Grout Intervals: From	: 1 Neat cen	pent	2 Cement grout	3 Bent	onite 4	Other		
Grout Intervals: From	m ft.	to 20	ft., From	ft.	to	ft., From	ft. to	
What is the nearest source of possible contamination:					ft. to			
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel	11 Fuel storage <u>15 Oil well/Gas</u>		
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit					13 Inse	Insecticide storage		
Direction from well? east					How ma	any feet? 60		
FROM TO		LITHOLOGIC		FROM	ТО	PLUGGING	INTERVALS	
0 20	top soil	and clay	7					
20 30		sna sar	nd and grav	rekl				
30 40	Clay				1i			
	gravel							
60 85	clay							
85 110	gravel							
	21,111,11	* ****						
							, , we	
CONTRACTOR'S	DELANDOWNED:O	CEDTIEICATI	ONI: This water"	woo /1\ c==c1:	untered (O) ====	anatrustad as (0) altrased	dor my juriadiatian and	
CONTRACTOR'S	year) 3 - 20	0-89				onstructed, or (3) plugged un		
completed on (mo/day	year)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				ord is true to the best of my ki		
Vater Well Contractor	s license NO	• • • • •	Inis Water	vveii Hecord w		on (mo/day/yr)5-21-		
inder the business na	me or TETTA	s Water	Well Serv	ice		ature) serry	· · · · · · · · · · · · · · · · · · ·	
INOTE: :CT: CT:		DI E465 55	IRMLY and PRINT clearly.	<u> </u>				

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.