KOHE	WATER WELL REG	CORD Form WWC-5	KSA 82a-	1212 ID No	0			
LOCATION OF WATER	R WELL: Fraction	the 4 Sw ,	Sec	tion Number	Township Nu	mber S	Range Nur	mber
Distance and direction from	n nearest town or city street	address of well if located	within city?			- '		
WATER WELL OWNER	South of Cun	ongun La	51 /					
RR#, St. Address, Box #	Don Hellan	In AUC			Board of Agr	iculture Di	ivision of Water F	Secource
City, State, ZIP Code	CUANNA Han	1.65	117		Application N		ivision of water r	10300100
LOCATE WELL'S LOCA	TION WITH 4 DEPTH OF	OMPLETED WELL	43	ft. ELEVAT	ION:			
AN "X" IN SECTION BO	X: Depth(s) Grou	ndwater Encountered	L	ft.	2	ft. 3	-17-10	ft.
	WELL'S STAT	C WATER LEVEL5 mp test data: Well water	ft. beld	w land surface ft a	e measured on mo/	day/yr	ımpina	anr
WV I	Est. Yield	gpm: Well water						
	WELL WATER		Public water s	supply supply	8 Air conditioning9 Dewatering	•	jection well ther (Specify belo	2141)
w !	E 2 Irrigation				10 Monitoring well.			
×					V			
sw		al/bacteriological sample s	submitted to I	Department? Y	es No.	; If yes, m	e/day/yrs sample	was sut
	mitted			Wa	ater Well Disinfected	d? Yes 🖊	No	0
S							Y	
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)		5		Concrete tile CASIN Other (specify below)		IG JOINTS: Glued Clamped		
2 PVC	4 ABS	7 Fiberglass					aded	
Blank casing diameter	surfacejin. to	ft., Dia		in. to	ft., Dia		in. to	ft
		in., weight	160		lbs./ft. Wall thicknes	ss or guag	e No	
	ERFORATION MATERIAL: 3 Stainless Steel	5 Fiberglass	ass PVC 8 RMP (SR)			10 Asbestos-Cement 11 Other (Specify)		
1 Steel 2 Brass	4 Galvanized Steel	6 Concrete tile	9 AB			e used (op		
SCREEN OR PERFORAT	ION OPENINGS ARE:	5 Guaz	ed wrapped		8 Saw cut		11 None (open	hole)
X1 Continuous slot	3 Mill slot		wrapped		9 Drilled holes			,
2 Louvered shutter	4 Key punched	7 Torch			10 Other (specify)			
SCREEN-PERFORATED	INTERVALS: From	43 ft. to	42	ft., From		ft. to		ft
GRAVEL PACK	INTERVALS: From	ft. to ft. to	20	ft., From		ft. to		ft
		ft. to						
GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bent	tonite 4	Other			
Grout Intervals: From	23 ft. to 0	ft., From	ft. t	o	ft., From		ft. to	f
What is the nearest source of possible contamination:				10 Livestock pens		14 Abandoned water well		
	Septic tank X 4 Lateral lines					15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage13 Insecticide storage		16 Other (specify below)		
3 Watertight sewer lin	nes 6 Seepage pit	9 Feedyard	l	How man		<i>f</i> _	•••••	
FROM TO	LITHOLOGI	C LOG	FROM	TO		GGING IN	TERVALS	
0 20	BIACK Clay	/						
20 31	Coalse.	Sand						
31 40	1 Fing San	1 - Red Silt						_
40 45	red Shape							
								- 100
				-	-			
7			V					
	LANDOWNER'S CERTIFIC							
completed on (mo/day/year Water Well Contractor's Lic		This Water	Well Record	and this re was complete	cord is true to the be	SCOUTINY K	lowledge and bell	er. Nansa
under the business name of		12 LEP LIPI			signature	/in	A)	
INSTRUCTIONS: Use typewrite	or as hall point peo. BLEASE BRESS	FIRM Yeard PRINT clearly Plans	fill in blanks	de dina an airala da a		HAR	to Konson Bosonton	A = 6 = = M=

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answed send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.