## KOLAR Document ID: 1591968

	WELL R		-	WWC-5			on of Wate					
		Correction		e in Well Use			ces App. N			Well ID		
				Fraction		on Numbe	er	Township Numb		ige Number		
county.						Dural	$T S R \Box E \Box W$ rral Address where well is located (if unknown, distance and					
2 WELL Business:		rection from nearest town or intersection): If at owner's address, check here:										
Address:					uncetion no							
Address:			<b>a</b>									
City:			State:	ZIP:								
<b>3</b> LOCATE WELL WITH "X" IN <b>4</b> DEPTH OF COMPLETED WELL:						. ft.	5 Latit	ude:			(decimal degrees)	
<b>SECTION BOX.</b> Depth(s) Groundwater Encountered: 1)												
1	2) ft. 3) ft., WELL'S STATIC WATER LEVEL:						Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27					
			below land surface, measured on (mo-day-yr).						Latitude/Longitude		``	
NW	NF	$\square$ above la										
		Pump test data: Well water was ft.					□ Land Survey □ Topographic Map					
w	E	after hours pumping					Online Mapper:					
SW	SE	often	Well water was ft.									
X			after hours pumping gpm Estimated Yield:gpm				6 Elevation:ft.  Ground Level  TOC					
	S	Bore Hole Diameter: in. to ft				Source:  Land Survey  GPS  Topographic Map					opographic Map	
1 r	nile		in. to ft				□ Other					
7 WELL WATER TO BE USED AS:												
1. Domestic		10. Oil Field Water Supply: lease										
			6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID							well ID		
•								al: how many bores				
	□ Livestock       8. □ Monitoring: well ID         2. □ Irrigation       9. Environmental Remediation: well ID											
	3. Effective States Sta						a) Closed Loop  Horizontal  Vertical b) Open Loop  Surface Discharge  Inj. of Water					
4. 🗌 Industr			13. Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:												
Water well disinfected?  Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL:         Steel       PVC         Other (Specify)												
Steel       Steinless Steel       PVC       Other (Specify)         Brass       Galvanized Steel       None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
				n ft. to								
				Cement grout Be								
		e contaminatio		ft., From				•••••	11. 10	II.		
Septic			Lateral Line				vestock Pe	ens	☐ Insectio	cide Storage		
Sewer			Cess Pool	Sewage La		_	el Storage			oned Water		
	ight Sewer Lii			☐ Feedyard		🗌 Fei	rtilizer Sto	orage	Oil We	ll/Gas Well		
Direction from well? ft.												
10 FROM	TO TO		ITHOLO		FROM		ТО		<u>π.</u> ΉΟ. LOG (cont.) or		G INTERVALS	
IU I KOM	10	L	molo		TROM		10		110. LOG (cont.) of	TLOODIN	GINTERVILD	
					_							
					NT - 4							
	Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)												
under the business name of												
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
		ks.gov/waterwell		,		,		-P <b>`</b>	,		SA 82a-1212	