

1 LOCATION OF WATER WELL: Fraction		Section Number		Township Number		Range Number	
County: K Pratt SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$		33		T 28 S		R 11 W E/W	
Distance and direction from nearest town or city street address of well if located within city? 3 east 6 north of Isabel							
2 WATER WELL OWNER: Wayne Day							
RR#, St. Address, Box # : 110280 SE 60th ST.				Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : Isabel Ks. 67065				Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 102.50 ft. ELEVATION:					
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL: 34 1/2 ft. below land surface measured on mo/day/yr 8-14-01					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield 12 gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter: 9 in. to 102 ft., and in. to ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes. No.; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No							
5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Clued Clamped.							
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded.							
2 PVC 4 ABS 7 Fiberglass Threaded.							
Blank casing diameter 5 in. to 78 ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface: 15 in., weight lbs./ft. Wall thickness or gauge No. 250							
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)							
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ft.							
SCREEN-PERFORATED INTERVALS: From. ft. to ft., From. ft. to ft.							
GRAVEL PACK INTERVALS: From. ft. to ft., From. ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From. ft. to ft., From. ft. to ft., From. ft. to ft.							
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well							
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? n one with in How many feet? 300							
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS		
0	1	soil					
1	3	white clay					
3	18	fine sand & clay					
18	50	fine sand					
50	62	sand some medium					
6	78	fine sand					
78	86	sand					
86	92	fine sand					
92	98	sand					
98	102	brown clay					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-14-01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 140 This Water Well Record was completed on (mo/day/yr) 8-14-01 under the business name of Lyman Inc. by (signature) <i>W. Lyman</i>							