WATER WELL R		Form V			ision of Water							
Original Record			in Well Use		urces App. No.	T 1: 37 1	Well ID					
1 LOCATION OF County:	ATER WEI	LL:	Fraction VE4 VE4	Sec Sec	tion Number	Township Numb						
County:	471				-1 4 dd1	T 28'S	R / DE XW					
2 WELL OWNER: La Business:	ast Name:	lburs					(if unknown, distance and r's address, check here:					
Address: /a//	E. 131	54					_					
Address:	Ga !	J, ,	1-1-1-	4	2ω .	Cunning	gha m					
City: Cunning	sham_	State: K.5	ZIP: 67035									
3 LOCATE WELL /	4 DEPTE	LOF COM	PLETED WELL:	102 ft.	5 Latitude	a•	(decimal degrees)					
WITH "X" IN	Depth(s) Gr	roundwater E	Encountered: 1)	5.50			(decimal degrees)					
SECTION BOX:	2)	ft. 3) ft., or 4)	Dry Well		□ WGS 84 □ NAI						
1	WELL'S S'	TATIC WAT	TER LEVEL:	t t	Source for	or Latitude/Longitude						
	below	land surface,	measured on (mo-day-	yr) 3:-22- 1.	☐ GPS	(unit make/model:)					
NW NE	above land surface, measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No)							
	Pump test data: Well water was				☐ Land Survey ☐ Topographic Map							
W X E	E after hours pumping gpm Well water was ft.				☐ Online Mapper:							
SW SE	after hours pumping											
Estimated Yield: 20gpm			_			Ground Level TOC						
S	Bore Hole		0 in. to 1.0.2				GPS Topographic Map					
1 mile			in. to	ft.	L	Other						
7 WELL WATER TO												
1. Domestic:			er Supply: well ID				ease					
☐ Household ☐ Lawn & Garden	☐ Household 6. ☐ Dewatering: how many wells?											
Livestock			g: well ID			mal: how many bores						
2. Irrigation			l Remediation: well ID			ed Loop Horizont						
3. ☐ Feedlot		Air Sparge					scharge Inj. of Water					
4. Industrial		Recovery	☐ Injection		13. 🔲 Othe	r (specify):						
Was a chemical/bacter	iological sa	mple submi	itted to KDHE?	Yes No	If yes, date s	ample was submitte	:d:					
Water well disinfected?	X Yes 🗌	No		,								
8 TYPE OF CASING	ÚSED: □ S	Steel PVC	C 🔲 Other	CASIN	8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: A Glued Clamped Welded Threaded							
Casing diameter												
Casing diameter	in. to	/.0.Z ft.,	Diameter	in to	ft., Diamet	er in. to	ft.					
Casing diameter 2	surface		Weight	in to	ft., Diamete Wall thickne	er in. to ss or gauge No	ft.					
TYPE OF SCREEN OR	R PERFORA	7.0.2 ft., .4 in. TION MAT	Weight	in to lbs./ft.	ft., Diamete Wall thickne	erin. to ss or gauge No	ft.					
TYPE OF SCREEN OR ☐ Steel ☐ Stair	R PERFORA' nless Steel	# ft., # in. TION MAT ☐ Fiberg	Diameter	in to	ft., Diamete Wall thickne ☐ Other	erin. to ss or gauge No	ft.					
TYPE OF SCREEN OR ☐ Steel ☐ Stain ☐ Brass ☐ Galv	R PERFORA' aless Steel anized Steel		Weight	in to	ft., Diamete Wall thickne ☐ Other	erin. to ss or gauge No	ft.					
TYPE OF SCREEN OR ☐ Steel ☐ Stair	R PERFORA' aless Steel anized Steel	Fibers Concrete Concrete	Weight	in to	ft., Diamete Wall thickne	erin. to ss or gauge No (Specify)	ft.					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter	R PERFORA' hless Steel ranized Steel ATION OPE Mill Slot Key Punc	Fiberg Concrete Galactic Galac	Weight ERIAL: glass PVC ete tile None u RE: uze Wrapped To ire Wrapped Sa	in to	Wall thickne Wall thickne Other orilled Holes fone (Open Hole	erin. to ss or gauge No (Specify) Other (Specify)	ft.					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI	R PERFORA' nless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV	Fibers Concrete	Diameter Weight ERIAL: glass PVC ete tile None u RE: uze Wrapped To ire Wrapped Sar	in to	Wall thickne Wall thickne Other Tilled Holes Ione (Open Hole Tille to	cr	ft. to ft.					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAGE	R PERFORA' nless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV	Fibers Garage TION MAT Fibers Concrete ENINGS AF Garage Garage Hed With ALS: From ALS: From	Diameter Weight ERIAL: glass PVC ete tile None u RE: uze Wrapped To ire Wrapped Sar ft. to ff. to	in to	Wall thickne Wall thickne Other Tilled Holes One (Open Hole In the control of th	cr	ft. to ft ft. to ft.					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAGE	R PERFORA' nless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV	Fibers Garage TION MAT Fibers Concrete ENINGS AF Garage Garage Hed With ALS: From ALS: From	Diameter Weight ERIAL: glass PVC ete tile None u RE: uze Wrapped To ire Wrapped Sar ft. to ff. to	in to	Wall thickne Wall thickne Other Tilled Holes One (Open Hole In the control of th	cr	ft. to ft ft. to ft.					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG GROUT MATERIA Grout Intervals: From	R PERFORA' nless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV K INTERV L: Neat	TION MAT Fiberg Concrete	Diameter Weight ERIAL: glass PVC ete tile None u RE: uze Wrapped To ire Wrapped Sar ft. to ff. to	in to	Wall thickne Wall thickne Other Tilled Holes One (Open Hole In the control of th	cr	ft. to ft ft. to ft.					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl	R PERFORA' nless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV K INTERV Neat I Neat c contaminat	TION MAT Fiberg Concrete Control Ga hed Wi ALS: From cement	Diameter Weight ERIAL: glass PVC ete tile None u RE: uze Wrapped To fire Wrapped fit to Cement grout RE:	in to	orilled Holes [Incomplete of the complete of t	cr	ft. to ft ft ft ft ft.					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG GROUT MATERIA Grout Intervals: From	R PERFORA' nless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV K INTERV IL Neat c contaminat	TION MAT Fiberg Concrete	Diameter Weight ERIAL: glass PVC ete tile None u RE: uze Wrapped To ire Wrapped ft. to Cement grout RE: Pit Privy	in to	Wall thickne Wall thickne Other Tilled Holes One (Open Hole In the control of th	cr	ft. to ft. ft					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir	R PERFORA containing the state of the state	TION MAT Fiberg Concrete Control Gahed Winder Control Gahed	Diameter Weight	in to	orilled Holes [Incomplete of the content of the con	cr	ft. to ft ft ft ft ft.					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify)	R PERFORA calcast Steel darized Steel ATION OPE Mill Slot Key Punc ED INTERV K INTERV IL Neat calcast be contaminated mes	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [Independent of the content of the co	cr	ft. to					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?	R PERFORA calcass Steel canized Steel ATION OPE Mill Slot Key Punc ED INTERV KINTERV IL Neat calcast contaminat mes	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [lone (Open Hole fit to	cr	ft. to					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?	R PERFORA calcass Steel canized Steel ATION OPE Mill Slot Key Punc ED INTERV KINTERV IL Neat calcast contaminat mes	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [lone (Open Hole fit to	cr	ft. to					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?	R PERFORA calcass Steel canized Steel ATION OPE Mill Slot Key Punc ED INTERV KINTERV IL Neat calcast contaminat mes	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [lone (Open Hole fit to	cr	ft. to					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO	R PERFORA calcass Steel canized Steel ATION OPE Mill Slot Key Punc ED INTERV KINTERV IL Neat calcast contaminat mes	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [lone (Open Hole fit to	cr	ft. to					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC GRAVEL PAC GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO	R PERFORA caless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV L: Neat re contaminat	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [lone (Open Hole fit to	cr	ft. to					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 3 33 33 52 52 52	R PERFORA caless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV L: Neat re contaminat	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [lone (Open Hole fit to	cr	ft. to					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 3 33 33 52 52 52	R PERFORA caless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV L: Neat re contaminat	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [lone (Open Hole fit to	cr	ft. to					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 3 33 33 52 55 55 56 57 58 68	R PERFORA caless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV L: Neat re contaminat	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [lone (Open Hole fit to	cr	ft. to					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 3 33 33 52 52 52	R PERFORA caless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV L: Neat re contaminat	TION MAT Fiberg Concrete	Diameter Weight	in to	orilled Holes [lone (Open Hole fit to	cr	ft. to					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 3 3 3 5 2 5 2 5 8 8	R PERFORA aless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERVEX INTERVE	Fibers Incompared Incompa	Diameter Weight	in to	orilled Holes [Incomplete of the content of the con	cr	ft. to					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 3 3 3 5 2 5 2 5 8 8	R PERFORA aless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERVEX INTERVE	Fibers Incompared Incompa	Diameter Weight	in to	orilled Holes [Incomplete of the content of the con	cr	ft. to					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 3 3 3 5 2 5 2 5 8 8	R PERFORA aless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERVEX INTERVE	Fibers Incompared Incompa	Diameter Weight	in to	orilled Holes [Incomplete of the content of the con	cr	ft. to					
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 3 33 33 52 52 65 48 11 CONTRACTOR'S under my jurisdiction at Kansas Water Well Cor	R PERFORA' caless Steel ranized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV IL: Neat Contaminate Contam	in. TION MAT Fiberg Concret Gahed Wind Mather W	Diameter Weight	in to	r welf was A this record is toold was comp	constructed, recorue to the best of meletae on (mo-day-ye	fl. to					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 3 33 33 52 55 2 55 45 45 46 47 11 CONTRACTOR'S under my jurisdiction at Kansas Water Well Cor under the business name	PERFORA calcass Steel canized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV L: Neat ce contaminat mes OR LAND and was computractor's Lice cof	TION MAT Fibers Concrete Gathed With ALS: From Cement Concrete C	Diameter Weight	in to	r welf was this record is toold was comp	constructed, recorded best of meleter on (mo-day-ya-marks)	ft. to					
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 3 33 33 52 55 2 55 45 45 46 47 11 CONTRACTOR'S under my jurisdiction at Kansas Water Well Cor under the business name	PERFORA calcass Steel canized Steel ATION OPE Mill Slot Key Punc ED INTERV CK INTERV L: Neat ce contaminat mes OR LAND and was computractor's Lice cof	TION MAT Fibers Concrete Gathed With ALS: From Cement Concrete C	Diameter Weight	in to	r welf was this record is toold was comp	constructed, recorded best of meleter on (mo-day-ya-marks)	fl. to					