


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Pratt		SW 1/4 SW 1/4 NE 1/4	9	T 28 S	R 11 E (W)
Distance and direction from nearest town or city street address of well if located within city? 1 East, 1.5 South. .5 East of Cairo					
2 WATER WELL OWNER: Bessie Smith Trust					
RR#, St. Address, Box # : % The Peoples Bank, Drawer C					
City, State, ZIP Code : Pratt, Kansas 67124					
Board of Agriculture, Division of Water Resources					
Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 58 ft. ELEVATION: hill			
		Depth(s) Groundwater Encountered 1. 42 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 42 ft. below land surface measured on mo/day/yr 8/25/83.			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 40 gpm Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 10 in. to 58 ft. and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic X 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped					
2 PVC X 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
3 Fiberglass Threaded					
Blank casing diameter 5 in. to 48 ft. Dia. in. to ft. Dia. in. to ft.					
Casing height above land surface 16 in. weight 160 lbs./ft. Wall thickness or gauge No. SDR 26					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC X 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
3 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 5 Gauzed wrapped 8 Saw cut X 11 None (open hole)					
2 Mill slot 6 Wire wrapped 9 Drilled holes					
3 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 48 ft. to 58 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 32 ft. to 58 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement X 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 4 ft. to 14 ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank X 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage					
Direction from well? SE How many feet? over 50'					
FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG			
0	4	earth			
4	24	dry fine sand			
24	40	sand & gravel			
40	58	sand & gravel			
58		clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/25/83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 103 This Water Well Record was completed on (mo/day/yr) 8/26/83 under the business name of Hank Bruse Water Well Service by (signature) Hank Bruse					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					