

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County Pratt	Township name	Fraction NE 1/4	Section number 10	Town number 28 S	Range number 11 W
Distance and direction from nearest town or city: 3 E, 15 of Cairo, Kan.			3 Owner of well: Harold Schreck			
Street address of well location if in city:			Address: Cunningham, Kansas			
Locate with "X" in section below: <div style="text-align: center;"> </div>			Sketch map: <div style="text-align: center;"> </div>			
4 Well depth: 142 ft. Date of completion 2/7/75			Well diameter 30 in.			
5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug			<input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary			
6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry			<input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial			
<input type="checkbox"/> Test well <input type="checkbox"/>						
7 Casing: Material stl			Height: above 300 ft.			
Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/>			Surface 12 in.			
Diam. 16 in. to 24 ft. depth			Weight 3175 lbs./ft.			
			Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
8 Screen:						
Manufacturer Doerr			Type 16" Dia. 16"			
Slot/gauze 1/8			Length 48'			
Set between 94 ft. and 142 ft.						
Fittings:						
Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			Size range of material 1/8x3/8			
9 Static water level:						
30 ft. below land surface			Date 2/20/75			
10 Pumping level below land surfaces:						
No Test						
ft. after hrs. pumping g.p.m.						
ft. after hrs. pumping g.p.m.						
Estimated maximum yield g.p.m.						
11 Water sample submitted:						
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			Date			
12 Well head completion:						
<input type="checkbox"/> Pitless adapter			<input checked="" type="checkbox"/> Inches above grade 12			
13 Well grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
<input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite			<input checked="" type="checkbox"/> Clay			
Depth: From 0 ft. to 10 ft.						
14 Nearest source of possible contamination:						
ft. Direction Type			None Known			
Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
15 Pump:						
<input type="checkbox"/> Not installed						
Manufacturer's name Layne						
Model number 12 KL HP 80 Volts						
Length of drop pipe 80 ft. capacity 800 g.p.m.						
Type:						
<input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine						
<input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating						
<input type="checkbox"/> Centrifugal <input type="checkbox"/> Other						
16 Remarks: elevation 23348						
1765						
Topography:						
<input type="checkbox"/> Hill			28 11 10 NAX			
<input type="checkbox"/> Slope						
<input checked="" type="checkbox"/> Upland						
<input type="checkbox"/> Valley						
(use a second sheet if needed)						
17 Water well contractor's certification:						
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.						
Layne Western Co.			102			
Business name			License No.			
Address 1011 W. Hwy. Wichita						
Signed [Signature]			Date 2/25/75			

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5