				R WELL RECO	RD Form W		SA 82a-		in Number	Pan	ge Numb	<u></u>
	ON OF WAT	TER WELL:	Fraction	05 4	At C 4	Section N	umber	1	ip Number д S	R	ge Numi 11	E/W
County:	PRATT_	from nearest town	SE 1/4					Т 2		1		
Distance a	na airection	nom nearest town				ony.						1
1		NED N. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		S 4-E OF 1	PHIKU PO							
	R WELL OW		L & GUSSMA		us.			Board	of Agriculture,	Division of	Water R	lesources
	Address, Bo			IATIONAL T	WR•				ation Number:	DIVISION OF	**********	0000.000
City, State	, ZIP Code	OCATION WITH 4	SA.OK. 741	10.2			CL C\/A3					
AN "X"	IN SECTION	N BOX:	Depth(s) Ground	water Encounte	red 1		ft. 2		ft. :	3		ft.
ī	ļ.	ı	WELL'S STATIC									
	- NW	NE		p test data: We								
	- NW		Est. Yield									
<u>.</u> L	i	X E	Bore Hole Diame	eter9	.in. to	. <i></i>	ft., a	ınd	ir	n. to	· · · · · •	ft.
* w	1		WELL WATER 1			water supp	•		ning 11	-		
7	Sw.	!	1 Domestic	3 Feedlo	t XX 6 Oil fie	ld water su	oply	9 Dewatering	12	Other (Spe	ecify belo	ow)
	- 5W	35	2 Irrigation	4 Industr					well			
1 1	i	ı v	Was a chemical/	bacteriological s	ample submitte	to Departm	ent? Ye	sNo	×x; If yes	s, mo/day/yı	r sample	was sub-
<u> </u>		i n	mitted				Wat		fected? Yes		10 XX	
5 TYPE C	OF BLANK (CASING USED:		5 Wrought iro	n 80	Concrete tile	•	CASING	i JOINTS: Glue	ы .××. ь	Clamped	
1 Ste	eel	3 RMP (SR))	6 Asbestos-C	ement 9 (Other (speci	fy below	<i>ı</i>)	Weld	ded		
XX2 PV	/C	4 ABS		7 Fiberglass						aded		1
Blank casi	ng diameter	ir	n. to 101.	ft., Dia .		in. to		ft., Dia		in. to		ft.
Casing hei	ight above la	and surface	12	.in., weight		<i></i>	lbs./f	t. Wall thickn	ess or gauge N	1 0		
TYPE OF	SCREEN O	R PERFORATION.	.MATERIAL:		;	₹PVC		10	Asbestos-cem	ent		
1 Ste	eel	3 Stainless	steel	5 Fiberglass		8 RMP (SF	R)	11	Other (specify)	. .	
2 Bra	ass	4 Galvanize	d steel	6 Concrete til	е	9 ABS		12	None used (o	pen hole)		
SCREEN (OR PERFO	RATION OPENING	S ARE:	5	Gauzed wrap	ped		8 Saw cut		11 None	(open h	iole)
1 Co	ontinuous slo	ot × ≸ Mill	siot	6	6 Wire wrapped			9 Drilled ho	oles			
2 Lo	uvered shut	ter 4 Key	y punched		7 Torch cut			10 Other (sp	pecify)			
SCREEN-F	PERFORATI	ED INTERVALS:	From	i D-1 · · · · · · · · · · · · · · · · · · ·	ft. to12,1.		ft., Fron	n	ft.	to		,ft.
				1								
ď	GRAVEL PA	CK INTERVALS:	From	20	ft. to	12.1	ft., Fron	n	\dots . ft.	to		ft.
			From	1	ft. to		ft., Fron	<u>n</u>	ft.	to		ft.
6 GROUT	MATERIAL	.: 1 Neat ce	ement	2 Cement grou	t XX3	Bentonite	4	Other				
Grout Inter	rvals: Fro	m	t. to	ft., From	1	. ft. to		ft., From	m	ft. to .		ft.
What is the	e nearest so	ource of possible c	ontamination:			1	0 Livest	ock pens	14 /	Abandoned	water we	ell
1 Se	ptic tank	4 Lateral	l lines	7 Pit pi	rivy	1	1 Fuel s	storage	15 (Oil well/Gas	well	
2 Sewer lines 5 Cess po			oool	ool 8 Sewage lagoo			2 Fertiliz	zer storage	zer storage 16 Other (specify below			
3 Wa	atertight sew	ver lines 6 Seepa	ge pit	9 Feed	lyard	1:	3 Insect	icide storage	NOA	۱E		
Direction f	rom well?						low mar	y feet?				
FROM	TO		LITHOLOGIC	LOG	FR	OM TO)		PLUGGING	INTERVAL	S	
U	3	TOP 501	[L					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
3	37	GRAVEL										
_37	78	CLAY										
78	97	GRAVEL	& CLAY									
97	121	GRAVEL										
7 CONTE	PACTOR'S	OR LANDOWNER'	S CEPTIFICATI	ION: This water	well wasXX\	netructed	(2) ress	netruoted or	(3) plugged up	der my ins	ediction	and was
_		7	5 CERTIFICATI 3-16-92	ion. This water	well was (t) c							
	on (mo/day	year,	1.00.0	Thin 14					•	A	_	. ransas
		COMIC	WATER WELL	This V	valei vveii Mecc		•		CAA K	- 6-9	9	
	business na				Janet Bloom Br		(signat		W411	14m	WYV	
		ypewriter or ball point penent, Bureau of Water, T									nsas Depar	tment,