		R WELL RECORD	Form WWC			
LOCATION OF WATER WELL:		Mil		ection Number	Township Number	Range Number
County: Pratt	SW 1/4		SW 1/4	12	т 2 8 s	R 12 -W
Distance and direction from neares	/4"So. "bi"Pra	itt, kans.	ated within city	·		
2 WATER WELL OWNER: Dax	ren Hodgkins	30n				
	SE 80th Ave				Board of Agriculture	Division of Water Resources
City, State, ZIP Code : Pr	tt.Kans. 671	24			Application Number:	
LOCATE WELL'S LOCATION W			951	ft. ELEVAT	ION:	
AN "X" IN SECTION BOX:	Denth(s) Ground	dwater Encountered	1 39'	ft 2	ft	3
·	WELL'S STATIC	WATER LEVEL	36'6" #	below land surf	ace measured on moldayly	Jan31 1997
† i i						oumping gpm
NW NE	50 Years 50	ip lesi dala. Well w	vater was	NA # af	ter Hours p	oumping gpm
1 1 1						
. W - 1 - 1	F 1	-		-		n. to
<u> </u>	' "	TO BE USED AS:			B Air conditioning 11	
SW SE	XX Domestic				9 Dewatering 12	
×	2 Irrigation					
1 1	Was a chemical	bacteriological samp	ele submitted to	•		s, mo/day/yr sample was sub-
<u> </u>	mitted			Wate	er Well Disinfected? Yes	X No
5 TYPE OF BLANK CASING USE	D:	5 Wrought iron	8 Con	crete tile	CASING JOINTS: Glu	ed XX Clamped
1 Steel 3 RMF	(SR)	6 Asbestos-Ceme				ded
2 PVOXX 4 ABS		7 Fiberglass			Thre	eaded
Blank casing diameter 5"	in. to 85!	ft., Dia	: in .	to	ft., Dia	. in. to ft.
Casing height above land surface.	14"	.in., weight	.3.55	Ibs./ft	t. Wall thickness or gauge	No. SDR . 26
TYPE OF SCREEN OR PERFORA	TION MATERIAL:		7 F	PVCXX	10 Asbestos-cen	nent
1 Steel 3 Stair	less steel	5 Fiberglass	8 F	RMP (SR)	11 Other (specify	y)
	anized steel	-		ABS	12 None used (d	
SCREEN OR PERFORATION OPE			auzed wrapped		,	11 None (open hole)
*****	3 Mill slo xx		ire wrapped		9 Drilled holes	(0,000)
	Key punched		orch cut			
SCREEN-PERFORATED INTERVA	• •				· · · · · · · · · · · · · · · · · · ·	toft.
SCREEN-PERFORATED INTERVA		•	_			toft.
GRAVEL PACK INTERVA						toft.
GRAVEL PACK INTERVA	- 051					
6 GROUT MATERIAL: 1 No	eat cement					to ft.
Grout Intervals: From 20		-				
	_					Abandoned water well
What is the nearest source of poss		7 Dit priva		10 Livesto		
•	1 Septic tank 4 Lateral lines 7 Pit privy			11 Fuel storage 15 Oil well/Gas well		
	ess pool	8 Sewage			•	Other (specify below)
3 Watertight sewer lines 6 S		9 Feedyard	X		icide storage	
Direction from well? SouthWe			55014	How man	y feet? App 132	0 ' INTERVALS
FROM TO TO S	LITHOLOGIC	LOG	FROM	то	PLUGGING	INTERVALS
2' 5' Sandy	LOAM.					
5' 8' Clay.		· · · · · · · · · · · · · · · · · · ·				
	k gravel (Dry	7)•				
19' 20' Clay.						
	Fine Sand.					
	Fine Sand.					
35' 39' Clay.						
	Sand.					
53' 61' Clay.						
	Course Sand					
78' 79' Clay.						
	Sand & Fine	Gravel. (Cl	ean).			
94' 95' Clay.		-				741-441
Cement Bottom I	Casing.				7	
		ION. This water	U was (4) =====	brusted (0)	notruoted on (0) of the sect	adar mu jurisdistiss and
CONTRACTOR'S OR LANDOW						
completed on (mo/day/year) Ja						
Water Well Contractor's License No			r Well Record		711 4 4 4	0.1997
under the business name of We	_			by (signate		Us)
INSTRUCTIONS: Use typewriter or hall r					the correct answers. Send top thre NER and retain one for your recor	