LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number Township N
Natarce and direction from nearest town or city street address of well if located within city? XATER WELL OWNER: And Y Rinke Re. St. Address, Box # 1125 N. Ma.In Board of Agriculture, Division of Water Re. 2007, State, ZIP Code Pratt , Ks. 67124 Application Number:
1
WATER WELL OWNER: Andry Rink e Rink: St. Address, Box # 1125 N. Main Rys, State, 2PC Code Pratt, Ks. 67124 DEPTH OF COMPLETED WELL 178 ft. ELEVATION: Unknown Depth(s) Groundwater Encountered 1 105 ft. below land surface measured on mo/daylyr 7-18-97. Pump test data: Well water was ft. after hours pumping Est, Yield 15 gpm: Well water was ft. after hours pumpin
Ref. S. Address Box # : 1125 N. Main
COCATE WELLS LOCATION WITH A DEPTH OF COMPLETED WELL 178 ft. ELEVATION Unknown An X* IN SECTION BOX No. Depth(s) Groundwater Encountered 1.05 ft. 2 ft. 3 ft.
Depth Dept
DOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1.05 ft. 2 ft. 3 Depth(s) Groundwater Encountered 1.05 ft. 2 ft. 3 Depth(s) Groundwater Encountered 1.05 ft. 2 ft. 3 The property
Depth(s) Groundwater Encountered 1.05. ft. below land surface measured on mo'day'yr .7-18-97. WELL'S STATIC WATER LEVEL 1.05. ft. below land surface measured on mo'day'yr .7-18-97. Pump test data: Well water was ft. after hours pumping. Est. Yield 1.15. gpm: Well water was ft. after hours pumping. Est. Yield 1.15. gpm: Well water was ft. after hours pumping. Bore Hole Diameter 1.2. in. to 1.78. ft. and in. to . WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 2 Injection well 3 Feedbot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Injection well 3 Injection well 3 Injection well 3 Injection well 2 Injection well 4 Injection well 5 Injection well 4 Injection well 5 Injection well 5 Injection 8 Concrete tile 2 CASING JOINTS: Glued . Clamped . Clamped . State well Disinfected? Yes No . Welded . Clamped . State well be a state of the concrete tile 2 CASING JOINTS: Glued . Clamped . Welded . Clamped . State well be a state of the concrete tile 2 CASING JOINTS: Glued . Clamped . State well be a state of the concrete tile 2 Injection well 4 Injection well 5 Injection in to 1.0 Injection well 5 Injection in the concrete tile 2 Injection well 4 Injection well 5
WELL'S STATIC WATER LEVEL 105 ft. below land surface measured on moidaylyr 7-18-97 Pump test data: Well water was ft. after hours pumping Statistical 15 Spm: Well water was ft. after hours pumping Statistical 15 Spm: Well water was ft. after hours pumping Statistical 15 Spm: Well water was ft. after hours pumping Statistical 15 Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Statistical Spm: Well water was ft. after hours pumping Spm: Well Disinfected? Yes No Material Statistical Stati
Pump test data: Well water was ft. after hours pumping Est. Yield 15 gpm: Well water was ft. after hours pumping in to 178 met of the Diameter 12 in the Diameter
Est. Yield 1.5 gpm: Well water was ft. after hours pumping Bore Hole Diameter 1.2 in. to 1.7.8 ft. and in. to in.
Bore Hole Diameter 12 in, to 1.78 ft, and in, to 1.78 legical legica
Well Water No Be USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 2 Injection 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below Water Well Disinfected? Yes No Maintenance No Water Well Disinfected? Yes No Welded Clamped Other (Specify below) Other (Specify Delow) Oth
1
2 Irrigation Was a chemical/bacteriological sample submitted to Department? Yes
Was a chemical/bacteriological sample submitted to Department? Yes No Water Well Disinfected? Yes No
TYPE OF BLANK CASING USED:
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped Question
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded Thread
2 PVC
Stank casing diameter 5
Casing height above land surface. 12 in., weight XXXXX 2.8 lbs./ft. Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
1 1 1 1 1 1 1 1 1 1
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From
2 Louvered shutter
CREEN-PERFORATED INTERVALS: From 158
From ft. to ft., From ft., F
From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 25 ft., From ft. to ft. ft. From ft. To ft. To ft. From ft. To ft. To ft. From ft. To ft. From ft. To ft. To ft. From ft. Fr
From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite Grout Intervals: From 0 ft. to 25 ft., From ft. to ft., From ft., Fro
From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 25 ft., From ft. to ft., From ft.,
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From O ft. to 25 ft., From That is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? Home to be built lateral lines FROM TO PLUGGING INTERVALS
Grout Intervals: From
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? Home to be built lateral lines FROM TO PLUGGING INTERVALS
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Home to be built 1ate FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage no source— Direction from well? Home to be built 1ato FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
3 Waterlight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage no Source — Direction from well? How many feet? Home to be built late. FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
Direction from well? How many feet? Home to be built late FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
0 3 top soil
3 23 sand and gravel
75 178 sand and gravel
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction are
ompleted on (mo/day/year)