WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources; App. No.└		
1 LOCATION OF WATER WELL: County: PRO: Distance and direction from nearest town	Fraction	Section Number	Township Number T 28 S	Range Number R 12 E	
Distance and direction from nearest town	or city street address of well if	of well if Global Positioning Systems (decimal degrees, min. of 4 digits)			
located within city? East of P	rathon Hwy54	Latitude:			
2 WATER WELL OWNER: Mike	Repair (Mike Flora)	Elevation:			
RR#, St. Address, Box # : 🔼 Hv	w 54	⊥ Danım.			
City, State, ZIP Code : Prat	RS 67124	Data Collection	Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL					
LOCATION WITH AN (SYN IN) Darth(x) Court denotes Franciscus (1) A (2) A (2) A (2) A (2) A (3) A (3) A (4) A					
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)					
N Pump test	data: Well water wasft. after hours pumping gpm				
	Est. Yieldgpm: Well water was				
WELL WATER I	O BE USED AS: 5 Public water	supply 8 Air	conditioning 11 Inje	ection well	
W Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
	industrial / Domestic (lawn	& garden) 10 Moi	mornig wen	***************************************	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs					
Sample was submitted					
s					
5 TYPE OF CASING USED: 5 Wrot	ight Iron 8 Concrete tile	CASIN	G JOINTS: Glued	X. Clamped	
1 Steel 3 RMP (SR) 6 Asbe	stos-Cement 9 Other (specif	y below)	Welded		
XPVC 4 ABS 7 Fiber	glass	in to A	Threaded	in to ft	
XPVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 4 in. to 95. ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 1.2. in., Weight 160. lbs./ft. Wall thickness or guage No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless Steel 5 Fiberglass XPVC 9 ABS 11 Other (Specify)					
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: **Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft. grave ft. ft. from ft. ft. ft. ft. ft. ft. ft. ft. f					
GRAVEL PACK INTERVALS: From					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout Bentonite	4 Other			
		ft. to f	t., From	ft. toft.	
What is the nearest source of possible contain				16 Other (analify	
Septic tank 4 Lateral lines 5 Cess pool		•	secticide storage bandoned water well	16 Other (specify below)	
	pit , 9 Feedyard 12 Fertil		l well/gas well .		
3 Watertight sewer lines 6 Seepage Direction from well?	AST How ma	ny feet? 300	<u></u>		
	OGIC LOG FROM	M TO	PLUGGING INT	ERVALS	
0 8 Tan Clay	1 -				
18 58 Fine San	d-Jan				
58 60 Coarse S 60 95 Small a					
40 95 Small g	IUVEI				
7 CONTRACTORS OF LANDOWNERS	S CEDTIFICATION. This water	m well was () const	mustad (2) reconstruct	ad or (2) plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No(6.1.3 This Water Well Record was completed on (mo/dev/year)					
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) If 1					
INSTRUCTIONS : Use typewriter or ball point pen.	<u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> cle	arly. Please fill in black	s, underline of circle the co	orrect a swers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					