WATER WELL R		WWC-5		sion of Water urces App. No		Well ID
Original Record Correction Change in Well Use  LOCATION OF WATER WELL: Fraction		- <del></del>	Section Number		Township Number Range Number	
County: PRAT		15W 1/45W 1		5		R /2 DE XW
2 WELL OWNER: L	ast Name: WIISON	First: CRAIG	Street or Rur			(if unknown, distance and
Business:		(mile	direction from n	earest town or	intersection): If at owner	's address, check here:
Address: 276 SE 407 Ave 4 miles EAST of PrATT on 54 May Then						
City: PRATT	State: K	5 ZIP: 67124	South,	12 mile	\$ EAST TO TH	re well
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 124 ft. 5 Latitude: (decimal degrees)						
WITH "X" IN				1.4 (0.4) (0.4)		* ' <del>-</del> -
SECTION BOX:	1 9) # 2) # 66.4) [ 1			Longitude:		
N		ATER LEVEL: 3		Source for Latitude/Longitude:		
		ce, measured on (mo-day				· 
NWNE	above land surfa-	/-yr). <i>[.=191.4</i>	(WAAS enabled? ☐ Yes ☐ No)			
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map		
W E		ırs pumping		Online Mapper:		
S.W SE	Well water was ft. after hours pumping gpm					
	Estimated Yield		6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter:	ft. and	Source:   Land Survey GPS Topographic Map			
mile		in. to	ft.		Other	
7 WELL WATER TO BE USED AS:						
1. Domestic:		Vater Supply: well ID				ase
Household		ing: how many wells? . Recharge: well ID			lole: well ID	
Lawn & Garden		ing: well ID			sed Uncased (	
2. Irrigation		D	12. Geothermal: how many bores?			
3.  Feedlot	☐ Air Spa	Extraction	b) Open Loop  Surface Discharge  Inj. of Water			
4. Industrial	☐ Recover					
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:						
Water well disinfected?   ✓ Yes □ No						
8 TYPE OF CASING USED: ☐ Steel M PVC ☐ Other CASING JOINTS: M Glued ☐ Clamped ☐ Welded ☐ Threaded						
Casing diameter						
Casing height above land surface in. Weight A. Wall thickness or gauge No						
TYPE OF SCREEN OR PERFORATION MATERIAL:         □ Steel       □ Stainless Steel       □ PVC       □ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous Slot Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)						
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)						
SCREEN-PERFORATED INTERVALS: From 124. ft. to 1.24. ft., From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 124. ft. to 20. ft., From ft. to ft., From ft. to ft.						
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
Septic Tank	Lateral L	nes 🔲 Pit Privy		Livestock Per	ns 🔲 Insectio	cide Storage
Sewer Lines	☐ Cess Poo	☐ Sewage L	agoon	Fuel Storage	☐ Abando	oned Water Well
☐ Watertight Sewer Lin				Fertilizer Sto		ll/Gas Well
☐ Other (Specify)						
Direction from well?		Distance from v	FROM		LITHO LOG (cont.) or	PLUGGING INTERVALS
	Hard Clas		FROM	TÜ	LITTO, LOG (com.) of	T LOGOTHO THIEKANTS
0 3 18	Fine Tan		-		. (	· · · · · · · · · · · · · · · · · · ·
18 46	TAN CLAY	sim a				
18 46 46 80 80 118	Fine Sand	4				the total and th
80 118	Course S					
118 124	Red Clay					. Location and the second seco
- 10 to \$1.4 cosp. 144		· · · · · · · · · · · · · · · · · · ·	Notes:			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged						
under my jurisdiction and was completed on (mo-day-year)						
under the business nam	e of CROW dix	MAter well	SRV.	ord was con	A Secretary	cai)
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Subtain records of the state of the						
Department of H	ealth and Environment, Bureau	or Water, Geology Section, 10	uu SW Jackson St., S	suite 420, Topeka	i, Kansas 66612-1367. Teleph	one (785) 296-3565.

KSA 82a-1212

Visit us at http://www.kdheks.gov/waterwell/index.html

Revised 9/10/2012