1.1.			WAIL	ER WELL RECORD	Form WWC-	5 KSA 82a-	-1212			
ш	ON OF WAT	ER WELL:	Fraction		Se	ction Number	Township		Range Nur	
County:		from reservation	NE 1/2	·	NE 1/4	15	т 28	S	R 12W	₽ (W)
l			•	address of well if loca	ited within city?					
6E	2.07S		of Pratt,							
_			oaran Drill	ing Co.						_
1	Address, Box		82290	(7070 0000				•	Division of Water	Resources
				67278-2290						
B LOCATI	e well's lo In section	CATION WITH		COMPLETED WELL.						
-	N			dwater Encountered						
Ī	! !	! ×		C WATER LEVEL						
	NW	- NE		np test data: Well wa						
	1	i l		0 gpm: Well wa						
w F				neter 19 in. t	99		and	in.	to	ft.
₹ "	!!	! `	WELL WATER	TO BE USED AS:	5 Public wat	er supply	8 Air conditionin	ig 11 !	Injection well	
ī	- sw	SE	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 (Other (Specify be	elow)
ı ı	"	1	2 Irrigation			•	0 Observation v		• • • • • • • • • • • • • • • • • • • •	
↓ L	i	1	Was a chemical	/bacteriological sample	e submitted to D	epartment? Ye	sNo	X,\ldots ; If yes,	mo/day/yr sampl	e was sub-
<u> </u>	Ş		mitted			Wat	ter Well Disinfect			
5 TYPE (OF BLANK C	ASING USED:		5 Wrought iron	8 Conce	ete tile	CASING JO	DINTS: Glued	IXClampe	d
1 Ste	eel	3 RMP (S	R)	6 Asbestos-Cemen	t 9 Other	(specify below	()	Welde	ed	
2 PV	/C	4 ABS		7 Fiberglass				Threa	ded	
Blank casi	ing diameter	5	.in. to 6.0	ft., Dia	s in. to		ft., Dia	i	n. to	ft.
Casing he	ight above la	nd surface	12	in., weight	2.3	, + lbs./f	ft. Wall thickness	or gauge No	214	
TYPE OF	SCREEN OF	PERFORATIO	N MATERIAL:		7 P\	'C_	10 As	sbestos-ceme	nt	
1 Ste	eel	3 Stainless	s steel	5 Fiberglass	8 RI	MP (SR)	11 Ot	her (specify)		
2 Bra	ass	4 Galvaniz	zed steel	6 Concrete tile	9 AE	s	12 No	one used (ope	en hole)	Ī
SCREEN (OR PERFOR	ATION OPENIN	IGS ARE:	5 Gau	uzed wrapped		8 Saw cut		11 None (open	hole)
1 Co	ontinuous slot	3 M	lill slot	6 Wir	e wrapped	-	9 Drilled holes			noie)
2 Lo	uvered shutte	er 4K	ey punched	7 Tor	ch cut		10 Other (speci	fy)		
SCREEN-I	PERFORATE	D INTERVALS:	From	60 ft. to	80	ft., Fron	n	ft. to)	ft.
				ft. to						
(GRAVEL PAC	K INTERVALS:		10 ft. to						
_			From	ft. to		ft., Fron				. 1
6 GROUT	MATERIAL:	4 114		2 Cement grout	2 Dant	onite 4 (Other			
_		1 Neat	cement	Z Oement grout	3 Deriu	Jille 4	Oulei			
Grout Inter	rvals: From									ft.
			. ft. to 10	ft., From		to	ft., From .			Į.
What is the		0	ft. to10 contamination:			to	ft., From .	14 Ab	. ft. to	Į.
What is the	e nearest sou	n () urce of possible	ft. to10 contamination: ral lines	ft., From	ft.	to	ft., From .	14 Ab	. ft. to	well
What is the 1 Se 2 Se	e nearest sou eptic tank ewer lines	urce of possible 4 Later	ft. to10 contamination: ral lines s pool	7 Pit privy	ft.	to	ft., From . rock pens storage	14 At 15 Oi 16 Oi	. ft. to	well w)
What is the 1 Se 2 Se	e nearest sou eptic tank ewer lines atertight sewe	urce of possible 4 Later 5 Cess	ft. to10 contamination: ral lines s pool	7 Pit privy 8 Sewage la	ft.	to	ft., From . rock pens storage zer storage	14 At 15 Oi 16 Oi	. ft. to	well w)
What is the 1 Se 2 Se 3 Wa	e nearest sou eptic tank ewer lines atertight sewe from well?	urce of possible 4 Later 5 Cess er lines 6 Seep	ft. to10 contamination: ral lines s pool	7 Pit privy 8 Sewage la 9 Feedyard	ft.	to	ft., From . rock pens storage zer storage	14 At 15 Oi 16 Oi	. ft. to	well w)
What is the 1 Se 2 Se 3 Wa Direction f	e nearest sou eptic tank ewer lines atertight sewe from well?	o ()	. ft. to1() contamination: ral lines s pool page pit	7 Pit privy 8 Sewage la 9 Feedyard	agoon	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well w)
What is the 1 Se 2 Se 3 Was Direction f FROM 0 2	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white	7 Pit privy 8 Sewage la 9 Feedyard	agoon FROM	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well w)
What is the 1 Se 2 Se 3 Water Section of FROM 0 2 2 3	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well w)
What is the 1 Se 2 Se 3 Was Direction f FROM 0 2	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well w)
What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 23	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the 1 Se 2 Se 3 Water Section of FROM 0 2 2 3	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well w)
What is the 1 Se 2 Se 3 Water Section of FROM 0 2 2 3	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the 1 Se 2 Se 3 Water Section of FROM 0 2 2 3	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the 1 Se 2 Se 3 Water Section of FROM 0 2 2 3	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the 1 Se 2 Se 3 Water Section of FROM 0 2 2 3	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the 1 Se 2 Se 3 Water Section of FROM 0 2 2 3	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the 1 Se 2 Se 3 Water Section of FROM 0 2 2 3	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the 1 Se 2 Se 3 Water Section of FROM 0 2 2 3	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 23	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the 1 Se 2 Se 3 Water Marketten from 1 FROM 0 2 23	e nearest sou eptic tank ewer lines atertight sewe from well? TO 2 23 54	o ()	th to10 contamination: ral lines pool page pit LITHOLOGIC and white te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG	goon FROM med grave	to	ft., From . rock pens storage zer storage	14 Ab 15 Oi 16 Ot	. ft. to	well
What is the second of the seco	e nearest son eptic tank ewer lines atertight sewer from well? TO 2 23 54 80	surce of possible 4 Later 5 Cess or lines 6 Seep Soil Clay, tan Sand, fin Sand, fin	.ft. to 10 contamination: ral lines s pool page pit LITHOLOGIC a and white te to coars te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG e and fine to e and fine to	FROM med grave coarse gr	to	ft., From . cock pens storage zer storage cicide storage ny feet?	14 At 15 Oi 16 Ot N	ft. to	well w)
What is the 1 Se 2 Se 3 Wa Direction of FROM 0 2 23 54	e nearest souteptic tank ever lines atertight sewer from well? TO 2 23 54 80	surce of possible 4 Later 5 Cess or lines 6 Seep Soil Clay, tan Sand, fin Sand, fin	.ft. to 10 contamination: ral lines s pool page pit LITHOLOGIC a and white the to coars the to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG e and fine to e and fine to	FROM med grave coarse g:	to	ft., From . cock pens storage zer storage ticide storage ny feet?	14 At 15 Oi 16 Ot	er my jurisdiction	well w)
What is the 1 Se 2 Se 3 Wa Direction of FROM 0 2 23 54	e nearest souteptic tank ever lines atertight sewer from well? TO 2 23 54 80 RACTOR'S O on (mo/day/y)	Soil Clay, tan Sand, fin Sand, fin	off. to 10 contamination: ral lines spool page pit LITHOLOGIC and white te to coars te to coars te to coars	7 Pit privy 8 Sewage la 9 Feedyard LOG e and fine to e and fine to	FROM med grave coarse gr	to	ft., From . cock pens storage zer storage icide storage ny feet?	14 At 15 Oi 16 Ot	er my jurisdiction	well w)
What is the 1 Second Sec	e nearest souteptic tank ever lines atertight sewer from well? TO 2 23 54 80 RACTOR'S O on (mo/day/) Il Contractor's	Soil Clay, tan Sand, fin Sand, fin Sand, fin LANDOWNER (rear) 6 . 0	off. to 10 contamination: cal lines spool page pit LITHOLOGIC and white te to coars te to coars te to coars and coars	7 Pit privy 8 Sewage la 9 Feedyard LOG e and fine to e and fine to	med grave coarse g: was (1) constru	to	nstructed, or (3) or (mo/day/yr)	plugged underst of my kno. 23. Dec.	er my jurisdiction	well w)
What is the 1 Se 2 Se 3 Water Management of the 1 Se 2 Se 3 Water Well with 1	e nearest son eptic tank ewer lines atertight sewer from well? TO 2 23 54 80 RACTOR'S O on (mo/day/y) Il Contractor's business name	Soil Clay, tan Sand, fin Sand, fin Sand, fin Clay tan Sand, fin Sand, fin	contamination: cal lines pool page pit LITHOLOGIC and white te to coars te to coars te to coars to ct. 86	7 Pit privy 8 Sewage la 9 Feedyard LOG e and fine to e and fine to This water well This Water Pump Inc.	med grave coarse g: was (1) constru	to	nstructed, or (3) or (mo/day/yr)	plugged underst of my kno. 23. Dec.	er my jurisdiction weldge and belie	well w) and was f. Kansas
What is the 1 Second Se	e nearest soute pric tank ever lines atertight sewer lines at lines a	Soil Clay, tan Sand, fin Sand, fin Sand, fin Clay tan Sand, fin Sand, fin	contamination: ral lines spool page pit LITHOLOGIC and white te to coars te to coars te to coars te to coars to ct. 86	7 Pit privy 8 Sewage la 9 Feedyard LOG e and fine to e and fine to	FROM med grave coarse g: was (1) constru	to	nstructed, or (3) d is true to the bon (mo/day/yr) ure)	plugged underst of my kno. 23. Dec.	er my jurisdiction wledge and belie	well w) and was f. Kansas