		WAICH	WELL RECORD	Form www	C-D KOA B					
LOCATION OF WATER WELL:		Fraction	MI		Section Number		1	Range Numb	1	
County: Pratt Distance and direction fro	n negreet town	NW 1/4	NW 1/4	SW 1/4	30	j T 28	3 s F	R 12W	E/W	
		-	1622 OF MAIL II IOCS	uou wimin cit	7 :					
4 S, 3 E of			Ctom1dae	D-4114	<u> </u>		-11 1 2	10		
2 WATER WELL OWNE		Skiles	5 5			Skiles 1-30 Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box #			Box 129	W- (75	70	•		on of water He	esources	
City, State, ZIP Code			4 Sterling,							
LOCATE WELL'S LOCATE OF BUTTON B						'ATION:				
ī						urface measured on m				
		Pump t	est data: Well wa	ater was	ft.	after	hours pumpin	g	. gpm	
NW	NE Es	st. Yield	gpm: Well wa	ater was	ft.	after	hours pumpin	g	. gpm	
	i Bo	ore Hole Diamete	r in. 1	to		, and	in. to		ft.	
w X I	i w	ELL WATER XXX	XDE USED AS:	5 Public w	ater supply	8 Air conditioning	11 Injec	tion well		
7 1	!	1 Domestic Wa	as 3 Feedlot	6 Oil field	water supply	9 Dewatering	12 Othe	r (Specify below	w)	
sw	- St	2 Irrigation	4 Industrial	7 Lawn ar	d garden only	10 Monitoring well .	,			
	i w	as a chemical/ba	cteriological sampl	e submitted to	Department?	YesNo	; If yes, mo/e	day/yr sample v	was sub-	
<u> </u>	mi	itted			V	/ater Well Disinfected?	Yes	No		
5 TYPE OF BLANK CAS	ING USED:	5	Wrought iron	8 Co	ncrete tile	CASING JOIN	rs: Glued	Clamped .		
1 Steel				6 Asbestos-Cement 9 Other (sp						
2 PVC	4 ABS	7	7 Fiberglass				Threaded.			
Blank casing diameter	in.	to	ft., Dia	in.	to	ft., Dia	in. to		ft.	
Casing height above land	surface3ft	belowin	ı., weight		lbs	s./ft. Wall thickness or	gauge No			
TYPE OF SCREEN OR P					PVC		tos-cement			
1 Steel 3 Stainless steel			5 Fiberglass 8 RMF							
2 Brass 4 Galvanized steel			6 Concrete tile 9 ABS			12 None used (open hole)				
SCREEN OR PERFORAT	ION OPENINGS	ARE:	5 Ga	uzed wrapped	1	8 Saw cut	٠.	None (open ho	ole)	
1 Continuous slot	3 Mill s			e wrapped	-	9 Drilled holes		(0)	,	
2 Louvered shutter	4 Kev	punched		ch cut		10 Other (specify)				
SCREEN-PERFORATED		•			ft Fr	om				
00,122,11, 2,11 0,11,120						om				
GRAVEL PACK	INTERVALS:					om				
		From	ft. to		ft., Fr				ft.	
6 GROUT MATERIAL:	1 Neat cem					4 Other				
Grout Intervals: From										
What is the nearest source	-	-				estock pens		oned water we		
1 Septic tank	4 Lateral li		7 Pit privy			el storage		I/Gas_well		
2 Sewer lines 5 Cess poo			8 Sewage lagoon			•	izer storage 16 Other (specify below)		1	
3 Watertight sewer I	•		9 Feedyard	agoon						
Direction from well?		5 pit	3 reedyard							
FROM TO	South	LITHOLOGIC LO)G	FROM) GGING INTER	RVALS		
				180	100	Sand and grav				
		***************************************		100	6	Clay				
				6	3	Bentonite			-	
	- and services			$\frac{3}{3}$	0	Top soil				
					$+$ $\check{}$	TOP SOLE				
							TO SECURE OF THE			
	-							·····		

7 CONTRACTOR'S OR	LANDOWNER'S	CERTIFICATION	N: This water well	was (1) cons	tructed. (2) red	constructed or (3) plus	aged under m	v jurisdiction a	nd was	
completed on (mo/day/yea						cord is true to the best				
Water Well Contractor's Li								.go and Dollol.	- 1	
under the business name					-	<i>L</i>	9			
III Dudinioss name	OL KELLADIG	s water we	LL Service		hy (eign	atura) / .) 0	~ ^			
INCTOLICTIONS: Lies become				Diagon fill in bi	by (sign	cle the correct answers. Sen				