		WATER WELL RE	CORD	Form WWC-5	KSA 82a			•
LOCATION OF WATER		1	1/4 NW	1	ction Number	Township		Range Number R 13W E/W
County: Pratt		74	/4	1/4	4	т 28	S	R 13M E/W
Distance and direction fro In Pratt, Kan	•	street address of we	ell if located	within city?				
WATER WELL OWNE			·			- 14-3-3-14 <sup>-00</sup>		
RR#, St. Address, Box #		ern Avenue				Board of	Agriculture.	Division of Water Resources
City, State, ZIP Code	Application Number:							
		isas 67124 THIOE COMPLETED						Unknown
AN "X" IN SECTION B	Depth(s)	Groundwater Encou	intered 1.	7.0	ft. 2	2	ft. 3	3
- sw	1							
PAW	Est. Yiel							imping gpm
<u> </u>	Bore Ho	le Diameter 8	in. to .	94		and	in	. to
* w   -	WELL V	ATER TO BE USE	D AS: ,	5 Public wate	er supply	8 Air conditioni	ng 11	Injection well
		omestic 3 Fee	edlot	6 Oil field wa	iter supply	9 Dewatering	12	Other (Specify below)
SW -	- SE   2 Iri	rigation 4 Ind	ustrial	7 Lawn and	garden only	10 Monitoring w	ell	
	Was a c	nemical/bacteriologic	al sample s	ubmitted to D	epartment? Ye	esNo	; If yes	, mo/day/yr sample was sub
<u> </u>	mitted				Wa	ter Well Disinfed	ted? Yes	No
TYPE OF BLANK CAS	ING USED:	5 Wrought	t iron	8 Concr	ete tile	CASING J	OINTS: Glue	d Clamped
1 Steel	3 RMP (SR)	6 Asbesto	s-Cement	9 Other	(specify below	v)	Welc	led
2 PVC	4 ABS	7 Fibergla	ss		· · · · · · · · · · · · · · · · · · ·		Thre	aded
Blank casing diameter	. 5 in. to 7.	ft., D	ia	in. to		ft., Dia		in. to ft.
Casing height above land	surface	12 in., weight		2.8	Ibs./	ft. Wall thicknes	s or gauge N	lo. Sch. 40
TYPE OF SCREEN OR P				7. <b>.P</b> V			sbestos-cem	
1 Steel	3 Stainless steel	5 Fibergla	SS	8 RM	MP (SR)	11 C	ther (specify)	
2 Brass	4 Galvanized steel	_		9 AB			one used (or	
SCREEN OR PERFORAT				ed wrapped		8 Saw cut	٠.	11 None (open hole)
1 Continuous slot	3 Mill slot			vrapped		9 Drilled hole		(- <b>F</b> )
2 Louvered shutter	4 Key punch	ed	7 Torch	• •				
SCREEN-PERFORATED					ft. From			toft.
001122111 2111 0111120								toft.
GRAVEL PACK								toft.
G. F. C.	From					n		to ft.
6 GROUT MATERIAL:	1 Neat cement							
Grout Intervals: From	ft to	. 20 ft F	rom	ft.	to.	ft. From		ft. to ft.
What is the nearest source						tock pens		bandoned water well
1 Septic tank	4 Lateral lines	7 P	it privv		11 Fuel:	•		Dil well/Gas well
•	5 Cess pool			oon		zer storage		Other (specify below)
	lines 6 Seepage pit		eedyard			ticide storage		Building
Direction from well?	Southeast	0.	ocayara		How man	J		75
FROM TO		LOGIC LOG		FROM	1 TO 1		PLUGGING I	NTERVALS
	op soil			ŀ				
	and and grave						***	TO ARRIVA CO. Mark and the second control of
	lay	<del>-</del>						The state of the s
1 1	and and grave	1						7 - V W.A AM. ( )
	ed bed shale	<b>h</b>		1			tan banana anta antakan kakamaka antaka 1990 ki sa kakabata at ak	
-93 + 94   K	ed bed share			·· <del> </del>	<u> </u>			
	<del></del>							
					† · · · ·			
				+	<del> </del>			7174. 7374 (1988) (1861)
					<del>                                     </del>	MANUEL COLOR DE LA		
			·	1	+			
				-	-			
				<del></del>	+ +			
					<del>                                     </del>			
					<b> </b>			
					<u> </u>			
								der my jurisdiction and was
								owledge and belief. Kansas
Water Well Contractor's L								/ 3/21/97
under the business name						$\sim$ 1	ris).	Goad
INSTRUCTIONS: Use typew	riter or ball point pen. PLEAS		NT clearly. Plea	ase fill in blanks,	underline or circle	the correct answers	. Send top three	copies to Kansas Department