

1 LOCATION OF WATER WELL:		Fraction		TOWNSHIP NUMBER		RANGE NUMBER	
County: Pratt		NW 1/4 NW 1/4 NW 1/4		3		T 28 S R 13 E	
Distance and direction from nearest town or city street address of well if located within city?							
Southwest corner of site property by UST Basin, 201 E. 1st St, Pratt							
2 WATER WELL OWNER: Ultramar Diamond Shamrock							
RR#, St. Address, Box #: 5590 Havana				Board of Agriculture, Division of Water Resources			
City, State, ZIP Code: Denver, CO 80239				Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 55.5 ft. ELEVATION: 1888.72 TOC					
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL 42.17 ft. below land surface measured on mo/day/yr 2/23/99					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter 8 in. to 55.5 ft. and in. to ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted					
		Water Well Disinfected? Yes No X					
5 TYPE OF BLANK CASING USED:							
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)	
Blank casing diameter 2 in. to 40 ft. Dia		7 Fiberglass		CASING JOINTS: Glued Clamped		Welded	
Casing height above land surface flush in. weight 0.703 lbs./ft. Wall thickness or gauge No. sch 40				1 threaded flush			
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
1 Continuous slot		6 Wire wrapped		9 Drilled holes			
2 Louvered shutter		7 Torch cut		10 Other (specify)			
3 3/8 Mill slot							
4 Key punched							
SCREEN-PERFORATED INTERVALS: From 40 ft. to 55.5 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS: From 38 ft. to 55.5 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From 1 ft. to 38 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage	
						13 Insecticide storage	
						14 Abandoned water well	
						15 Oil well/Gas well	
						16 Other (specify below)	
Direction from well? How many feet?							
FROM		TO		LITHOLOGIC LOG		FROM	
						TO	
0		1		Topsoil			
1		14		Clay, v. silty			
14		25		Silt			
25		34		Sand, f-c grained			
34		38		Sand, f-c grained			
38		39		Clay			
39		49		Sand, v-f-f grained			
49		55.5		Sand, m-v-c grained			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/23/99 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 2/24/99 under the business name of Geotechnical Services, Inc. (GSI) by (signature) Candace Wabou							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							