1 LOCATIO	ON OF WA	TER WELL:	Fraction	IN WELL NECOND	FOITH VVVV	Section Number	Township	Number	Pence	Number
County:	PR		1/400001	1/4	1/4	Section Number	T		Range	1
				address of well if locat		/?	<u> </u>	S	<u> R</u>	E/W
			-		•					
O WATER	n The	city of P	ratt Lei	36 bleck	1 Rell:	ing Hills	• additi	on SS I	ratt, ka	;
	· WELL OF	LOT.	en Harri	LS		713 Me	adow La	re ke		· .
	Address, Bo	× # : P•	bex122			214		_	Division of Wa	ter Resources
	, ZIP Code	Տչվ	via, Ks.	67581	80		Applicat	on Number:		
3 LOCATE	E WELL'S L IN SECTIO	OCATION WITH 4	DEPTH OF C	OMPLETED WELL.	•3,	ft. ELEVA	ΓΙΟΝ:	,		
	III OLOTIO	<u> </u>		water Encountered						
ī	ļ.	1 1	WELL'S STATIC	WATER LEVEL . 🦊	∳ ft	. below land sur	ace measured	on mo/day/yr	10-11-	99
	- NW	NE		p test data: Well wa						
	- 1/44		Est. Yield 15 gpm: Well water was			ft. at	ter	. hours pu	ımpina	apm
<u>.</u>	i;		Bore Hole Diam	eter 5 in. to	s 62		and	in	in. to	
W	1		•			ablic water supply 8 Air conditioning 11 Injection well				
7	1		1 Domestic	3 Feedlot		water supply		•	Other (Specify	below)
-	- SW	SE	2 Irrigation	*		d garden only	_			
	-		•	bacteriological sample		-				
1			mitted	bactoriological campic	Sabinition to		er Well Disinfed	•	• •	
5 TYPE C	DE BLANK (CASING USED:	TIRCO	5 Wrought iron	8 Cor	crete tile			d Clan	nped
ع ۲۰۰۰ و و 1 Ste		3 RMP (SR	١	•				-448	. A	
2,PV		4 ABS	,	6 Asbestos-Cement		er (specify below	•		ed	
		5 j	62	7 Fiberglass					aded	
			n. 10	ft., Dia						
		and surface 12		.in., weight						
		R PERFORATION		,		PVC.		sbestos-ceme		
	1 Steel 3 Stainless steel			5 Fiberglass	8	RMP (SR)	11 C	ther (specify)		
2 Bra		4 Galvanize		6 Concrete tile	9 /	ABS	12 N	one used (op	en hole)	
SCREEN (OR PERFOI	RATION OPENING	S ARE:	5 Gau		8 Saw cut 11 None (oper			en hole)	
1 Co	ntinuous slo	ot 3 Mill	l slot	6 Wire	wrapped		9 Drilled hole	s		
2 Lou	uvered shut	ter 4 Key	y punched	7 Torc	h cut		10 Other (spec	;ify)		
SCREEN-F	PERFORATI	ED INTERVALS:	From X23X	: , ≨2 , ft. to .	12 63	ft., Fror	n	ft. t	o	ft.
			From	ft. to .		ft., Fror	n	ft. t	0	
G	RAVEL PA	CK INTERVALS:		3 ft. to .						
			From	ft. to		ft., Fron				ft.
6 GROUT	MATERIAL	.: 1 Neat ce	ement	2 Cement grout			Other			
Grout Inter	vals: Fro	m .3 f	t. to 23	ft., From	ft					
What is the		ource of possible c				10 Livest			bandoned wat	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel s	•	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lag	goon		er storage	16 Other (specify below)		
3 Watertight sewer lines 6 Seepage p				9 Feedyard	90011	13 Insecticide storage			die (Specify L	(GIOW)
Direction fr		West	go pit	3 i couyaiu			=			
FROM	TO	4636	LITHOLOGIC	LOG	FROM	How mar	y leet?	PLUGGING 1	NTERVALS	
•	4		<u> </u>		11101	 '° 		- Loddina II	IVILITYALO	
	1	seil								
1	16	elay								
16	18	fine s	a d							
18	29	gray e.	lay						·- · · · · · · · · · · · · · · · · · ·	
20	25	fine w	nite san	d						
25	27	sand		<u> </u>						
27	36		. 1							
		brown (
36	39	dirty:								
39	62	elaan :								
62	73		sand som	e med						
73										
76	82	red she					<u> </u>			
	` · ·									
				·						
7 CONTR	ACTORIS (OD I ANDOMANICO	e ceptieloati	IONI: This						
T COMIN	on (mo/day/	vear) 18-11	S CERTIFICATI	ION: This water well v						
1		,		144		and this recor	d is true to the	est of my kn	owledge and b	elief. Kansas
		s License No		140 This Water V	Well Record	was completed of	n (mo/gfay/yr)/	g	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
unaer the b	ousiness na	me of		Lyman Inc.	• 1	by (signat	ure) / Cl	an h	yman	-