	WATE	R WELL REC	ORD FA	rm WWC-5	KSA 82	a-1212	Sti	Go	
LOCATION OF WATER WELL:	Fraction	II WELL HEC	OID 10		ion Numbe		Number	Range	
county: Watt			4 SW	1/4	<u>3</u>	T	28 s	R /3	E(W)
istance and direction from nearest to			I if located w	vithin city?					
916 S. MO	in Pra	11	0-400						
WATER WELL OWNER: TUKO	a mobelati	Death	WIW 1						
R#, St. Address, Box # : 916							of Agriculture,	Division of Wa	iter Resource
ity, State, ZIP Code : Prod		7124		17			tion Number:		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	H4 DEPTH OF C	OMPLETED '	WELL	16	., ft. ELEV	ATION: . /. & .	5/.66.		
	Depth(s) Ground WELL'S STATIC Pum Est. Yield Bore Hole Diam WELL WATER 1 1 Domestic	water Level test data: gpm: eter//25	Well water w Well water w O in to AS: 5	vas /6 Public water	elow land s ft. ft. supply er supply	urface measured after	l on mo/day/yr hours pu hours pu in	imping	gpm gpm ft.
2M 2F	2 Irrigation	4 Indu	strial 7 l	Lawn and ga	arden only	10 Monitoring	well (17.	APOR EX	TISCTICE
	Was a chemical/	bacteriologica							
\$	mitted				V	ater Well Disinfe	cted? Yes	No	Σ
TYPE OF BLANK CASING USED:		5 Wrought	iron	8 Concre	te tile	CASING	JOINTS: Glue	d Clan	nped
1 Steel 3 RMP (SR)	6 Asbestos	-Cement	9 Other (specify bel	ow)	Welc	ed	
2 PVC 4 ABS	,	7 Fiberglas	S				Thre	aded	
Blank casing diameter	- 9.96	ft., Dia	2.2	7 PVC		ft., Dia s./ft. Wall thickne 10 .	ess or gauge N Asbestos-ceme	10	40
1 Steel 3 Stainle	ess steel	5 Fiberglas	S	8 RM	P (SR)		Other (specify)		
2 Brass 4 Galvan	nized steel	6 Concrete	tile	9 ABS	3	12	None used (or	en hole)	
CREEN OR PERFORATION OPEN	INGS ARE:		5 Gauzed	wrapped		8 Saw cut		11 None (or	pen hole)
1 Continuous slot	Mill slot		6 Wire wra	apped		9 Drilled hole	es		
2 Louvered shutter 4	Key punched	1	7 Torch cu			10 Other (en	ecify)		
SCREEN-PERFORATED INTERVALS	6: From		. ft. to	16		om , , , , , , ,	ft. [.]	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near	From From From t cement	2 Cement gr	. ft. to	16 3 Bentor	tt., Fr	om	ft ft ft	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Z . S .	From	2 Cement gr	. ft. to	16 3 Bentor	ft., Fr ft., Fr ft., Fr	om	ft. ft. ft. ft. ft. ft.	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Vhat is the nearest source of possible	From From From t cement ft. to ft. to te contamination:	2 Cement gr	ft. to	16 3 Bentor	ft., Fr ft., Fr ft., Fr nite	omomomomomom	ft.	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: Grout Intervals: From	From S: From From t cement ft. to te contamination: eral lines	2 Cement gr	ft. to privy	16 Bentor	ft., Fr ft., Fr ft., Fr nite o 10 Live	om	ft.	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Vhat is the nearest source of possible 1 Septic tank 4 Latt 2 Sewer lines 5 Ces	From S: From From t cement ft. to de contamination: eral lines ss pool	2 Cement gr ft., Fro 7 Pit 8 Se	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 Bentor	ft., Fr. ft., Fr. ft., Fr. ft. Fr. 10 Live 11 Fue 12 Fer	om	ft.	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Vhat is the nearest source of possibl 1 Septic tank 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See	From S: From From t cement ft. to de contamination: eral lines ss pool	2 Cement gr ft., Fro 7 Pit 8 Se	ft. to privy	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	ft.	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Vhat is the nearest source of possibl 1 Septic tank 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See	From S: From From t cement ft. to le contamination: eral lines ss pool epage pit	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	om	ft.	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From 2 S. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well? FROM TO	From S: From From t cement ft. to de contamination: eral lines ss pool	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U S	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near irout Intervals: From 2. 5. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Secondirection from well? FROM TO SILETY	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U S	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near From	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U S	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From 2. 5. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well? FROM TO SILETY	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U S	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From 2. 5. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Second from well? FROM TO SILETY	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U S	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From 2. 5. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well? FROM TO SILETY	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U S	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near irout Intervals: From 2. 5. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Secondirection from well? FROM TO SILETY	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U 5	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near irout Intervals: From 2. 5. //hat is the nearest source of possibl 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Securization from well? FROM TO SILETY	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U 5	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near irout Intervals: From 2. 5. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Secondirection from well? FROM TO SILETY	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U 5	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From 2. 5. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Second from well? FROM TO SILETY	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U 5	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near irout Intervals: From 2. 5. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Secondirection from well? FROM TO SILETY	From From From From t cement ft. to te contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U 5	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From 2. 5. What is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well? FROM TO SILETY	From From From t cement ft. to fte contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U 5	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Vhat is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? FROM TO	From From From t cement ft. to fte contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U 5	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Nhat is the nearest source of possibl 1 Septic tank 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Sec Direction from well? FROM TO	From From From t cement ft. to fte contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U 5	to	
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Vhat is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? FROM TO	From From From t cement ft. to fte contamination: eral lines ss pool epage pit LITHOLOGIC CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor	16 3 Bentor	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse	omomomom	14 A 15 C 2 U 5	to	ftftftftftftftf
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Z. S. What is the nearest source of possible 1 Septic tank	From From S: From From t cement ft. to Ide contamination: eral lines ss pool epage pit LITHOLOGIC CLAY CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor edyard	FROM	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse How m	om	14 A 15 C 216 C 217 S PLUGGING	io	ftft. ftft ftft ftft
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near Grout Intervals: From Z. S. What is the nearest source of possible 1 Septic tank	From From From From t cement ft. to le contamination: eral lines ss pool epage pit LITHOLOGIC CLAY CL	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe	ft. to ft. to ft. to ft. to ft. to out out privy wage lagoor edyard	FROM (1) construction	ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fer 13 Inse How m TO	om	ft.	to	ter well below)
GRAVEL PACK INTERVALS GROUT MATERIAL: I Near irout Intervals: FromZ.S. What is the nearest source of possible Septic tank Sept	From From S: From From t cement ft. to Ide contamination: eral lines ss pool epage pit LITHOLOGIC CLAY Y CLAY Y CLAY Y CLAY Y CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe LOG	ft. to	FROM (1) construction	ft., Fr. ft.	om	ft.	to	ter well below)
GRAVEL PACK INTERVALS GROUT MATERIAL: I Near irout Intervals: From //hat is the nearest source of possibl Septic tank Septic tank Watertight sewer lines Sewer line	From. From S: From. From t cement ft. to le contamination: eral lines ss pool epage pit LITHOLOGIC CLAY CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe LOG	tt. to	FROM (1) construction	tt., Fr. ft., Fr. ft.	om	ft.	to	ter well below)
GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Near rout Intervals: From. 2.5. hat is the nearest source of possibl 1 Septic tank 4 Latt 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Securection from well? FROM TO O G SILTY O G	From. From S: From. From t cement ft. to le contamination: eral lines ss pool epage pit LITHOLOGIC CLAY CLAY	2 Cement gr ft., Fro 7 Pit 8 Se 9 Fe LOG	rer well was swater Well	FROM (1) construct Record was	tt., Fr. ft., Fr. ft.	om	ft.	to	ter well all below)