

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: PRATT		NW 1/4 NE 1/4 NE 1/4	11	T 28 S	R 13 E
Distance and direction from nearest town or city street address of well if located within city? 1/2 MILE EAST on LAKE Rd. From Country Club Rd. & on South Side					
2 WATER WELL OWNER: JOE DEAN					
RR#, St. Address, Box # : 10255 LAKE Rd.				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code : PRATT KS 67124				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 80' ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 31' ft. below land surface measured on mo/day/yr 8-14-02			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 10 5/8 in. to 80 ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		<input checked="" type="checkbox"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes. No. <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted BLEACH Water Well Disinfected? Yes <input checked="" type="checkbox"/> No					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
<input checked="" type="checkbox"/> 2 PVC		4 ABS		6 Asbestos-Cement	
				7 Fiberglass	
Blank casing diameter 5" in. to 60 ft., Dia				8 Concrete tile	
Casing height above land surface 12 in., weight Sch. 160				9 Other (specify below)	
TYPE OF SCREEN OR PERFORATION MATERIAL:				CASING JOINTS: Glued. <input checked="" type="checkbox"/> Clamped.	
1 Steel		3 Stainless steel		7 PVC	
2 Brass		4 Galvanized steel		8 RMP (SR)	
				9 ABS	
SCREEN OR PERFORATION OPENINGS ARE:				10 Asbestos-cement	
1 Continuous slot		<input checked="" type="checkbox"/> 3 Mill slot .010		11 Other (specify)	
2 Louvered shutter		4 Key punched		12 None used (open hole)	
				5 Gauzed wrapped	
				6 Wire wrapped	
				7 Torch cut	
SCREEN-PERFORATED INTERVALS: From 60 ft. to 80 ft., From				8 Saw cut	
				9 Drilled holes	
GRAVEL PACK INTERVALS: From 80 ft. to 55 ft., From				10 Other (specify) BOTTOM CAPED ft.	
				11 None (open hole)	
				12 None used (open hole)	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <input checked="" type="checkbox"/> 3 Bentonite 4 Other					
Grout Intervals: From 55 ft. to 3 ft., From					
What is the nearest source of possible contamination:					
<input checked="" type="checkbox"/> 1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard	
				10 Livestock pens	
				11 Fuel storage	
				12 Fertilizer storage	
				13 Insecticide storage	
Direction from well? NW				How many feet? 200'	
FROM		TO		LITHOLOGIC LOG	
FROM		TO		PLUGGING INTERVALS	
0'		15'		Dark top soil & silt	
15'		30'		Clay mixed w/sand & silt Lt. BRN	
30'		40'		Med. Sands	
40'		55'		FINE SANDS m/xd w/med sands	
55'		60'		COARSE SANDS	
60'		70'		FINE TO MED SAND TAN	
70'		75'		Thin clay layer Lt. TAN with FINE SANDS	
75'		80'		FINE SANDS	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-13-02 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 665 This Water Well Record was completed on (mo/day/yr) 8-19-02 under the business name of PRATT WELL ENVIRONMENTAL by (signature) <i>Steven Egan</i>					