			ATER WELL RE	ECORD	Form WWC-5	KSA 82a	-1212 ID N	lo. <u>003</u> 2	4880	·	
		ATER WELL:	Fraction	Alc	C.C.		ection Number	Township N	α	Range Number	
	Pratt	.	NE_	14 NE	. ¼ SE	1/4	4	T 22	<u>8 s</u>	R 1.3 E.W	
		from nearest to		. 93	5004		son, t	att. KS	671	J4	
2 WATE	R WELL OW	NER: Praff		pt	-		9 . , ,	, , , ,			
,	ddress, Box , ZIP Code	# Pratt	NS 67	20 S.C 124	JACKSU/			Application	Number:	Division of Water Resources	
LOCATE	E WELL'S LO	OCATION WITH	4 DEPTH OF	COMPLE							
AN "X" I	N SECTION N	BOX:	Depth(s) Gro	undwater I	Encountered	124	ff	t. 2	ft. 3	1/7/04 ft.	
	1	1	WELL'S STA	TIC WATE	R LEVEL & 3.4 lata: Well wat	هکtt. be er was	low land surfac	ce measured on m after	o/day/yr hours n	umpinggpm	
	1	_ &								umping gpm	
-	-NW	- NE -	WELL WATE				supply	8 Air conditionin		njection well	
w	ı	E	1 Domes 2 Irrigatio				er supply wn & garden)	9 Dewatering10 Monitoring we		Other (Specify below)	
**							a garaon,	To monitoring its			
_	-sw	- SE	Was a chemi	ical/bacteri	ological sample	submitted to	Department?	Yes No	: If ves. n	no/day/yrs sample was sub-	
	ī	1	mitted		orograa. campio	Water Well Disinfected? Yes No					
	<u> </u>	1									
5 TYPE	OF BLANK	CASING USED:		5 Wro	ught iron	8 Conc	rete tile	CASING JO	INTS: Glue	d Clamped	
1 Ste		3 RMP (S	R)	6 Asbe	estos-Cement		(specify below	,		led	
2 PV		4 ABS		7 Fibe						aded	
	•	and surface	1		π., Dia woight		in. to	π., Di	a	in. to ft.	
_	_	R PERFORATIO			weight	- F			bestos-Cen		
1 Ste		3 Stainles		5 Fibe	rglass		MP (SR))	
2 Bra	ss	4 Galvaniz	zed Steel	6 Con	crete tile	9 A	BS	12 No	ne used (or	en hole)	
SCREEN	OR PERFO	RATION OPENI				zed wrapped		8 Saw cut		11 None (open hole)	
1 Continuous slot Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key purched 7 Torch cut 10 Other (specify)								ft			
	vered shutte		ey punched	30			, -		• -	ft.	
SCHEEN-	PERFORAT	ED INTERVALS		<i></i>	π. το ft. to	. 3 .4.:2	π., From	l	π. το ft. to	ft.	
GRAVEL PACK INTERVALS: From						32.5	ft., From	١	ft. to	ft.	
			From		ft. to		ft., From	·	ft. to	ft.	
GROU	JT MATERIA	L: 1 Nea	t cement	2 Ce	ement grout	€ er	ntonite	4 Other			
⊐ Grout Inte	rvals: Froi	n	ft. to 7 .	81	t., From	ft.	to	ft., From		ft. toft.	
What is the nearest so		urce of possible contamination:		n:			10 Lives	tock pens	14 A	bandoned water well	
1 Septic tank			4 Lateral lines		7 Pit privy		11 Fuels	~ ~		Dil well/Gas well	
2 Sewer lines			5 Cess pool		8 Sewage lag					Other (specify below)	
3 Watertight sewer lines 6 Seep Direction from well?			age pit	9 Feedyard		rd	13 Insecticide storage		243	1 31123	
FROM	TO TO	T	LITHOLOG	NC LOG		FROM	How man		UGGING IN	TEDVAL C	
O	1	A. IL	LITHOLOG	aic Log		FROM	10		OGGING IIV	TENVALO	
-	-	fighalt	10 11 04	1							
5	17	Clay the	wa silty	day be	.6						
		plasticity	ICH	4 1 114	<i>, p. v.</i>		†				
17	21	Sand us	low brown	fine t	coarse /su	9					
Zi	24	Sand are	w fine to	tours &	15W				<u> </u>		
24	32.5	Sand Brow	wn poorly	sorted	14 W With						
		gravel	preces !	SW				-			
		•					-				
									·		
			A-5 19	5							
							+				
CONTE	ACTOR'S C	T VVIDO/V/VIC	D'S CEDTIEIC	ATIONI: T	vio water well	(0) (1) non-t-	ruotod (0) raas	anatruotad ar (a)	olugaed ::=:	for my juriodiation and was	
ompleted	on (mo/dav/	rear)	704	ATION: 11						der my jurisdiction and was nowledge and belief. Kansas	
		Licence No						ed on (mo/day/yr)/		5/6/04	
	usiness nan	_		+Ph				(signature)	Ha	11/	
		ewriter or ball point pe	en. <i>PLEASE PRESS</i>	FIRMLY and	PRINT clearly. Pleas					to Kansas Department of Health	
		of Water, Geology Se each constructed well.		kson St., Suite	420, Topeka, Kansa	as 66612-1367. T	elephone 785-296-5	522. Send one to WATE	H WELL OWN	ER and retain one for your	