

1 LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 NW 1/4 Section Number 12 Township Number 28 S Range Number 13 E  
County: Pratt Distance and direction from nearest town or city street address of well if located within city?  
SE of Pratt

2 WATER WELL OWNER: DUANE POLOK  
RR#, St. Address, Box #: 10321 SE 25th Ave. Pratt KS 67124  
City, State, ZIP Code: Application Number: NA

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 3x3 grid with 'X' in the center section, labeled NW, NE, SW, SE, and a 1-mile scale bar]

4 DEPTH OF COMPLETED WELL: 92 ft. ELEVATION: 3-11-05  
Depth(s) Groundwater Encountered: 54 ft. below land surface measured on mo/day/yr  
WELL'S STATIC WATER LEVEL: 54 ft. below land surface measured on mo/day/yr  
Pump test data: Well water was 10 in. to 92 ft., and 92 in. to 92 ft.  
Est. Yield: 92 gpm; Well water was 92 ft. after 92 hours pumping  
Bore Hole Diameter: 10 in. to 92 ft., and 92 in. to 92 ft.  
WELL WATER TO BE USED AS:  
X 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted  
Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:  
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped  
X 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
Blank casing diameter: 5 in. to 92 ft., Dia. 160 in. to 160 in. Dia. 160 in. to 160 in. Dia.  
Casing height above land surface: 12 in., weight 160 lbs./ft. Wall thickness or gauge No. 160  
TYPE OF SCREEN OR PERFORATION MATERIAL:  
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
SCREEN OR PERFORATION OPENINGS ARE:  
X 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
3 Torch cut 10 Other (specify)  
SCREEN-PERFORATED INTERVALS: From 92 ft. to 72 ft., From 72 ft. to 72 ft.  
GRAVEL PACK INTERVALS: From 92 ft. to 25 ft., From 25 ft. to 25 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout X 3 Bentonite 4 Other  
Grout Intervals: From 25 ft. to 0 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.  
What is the nearest source of possible contamination:  
X 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
Direction from well? NE How many feet? 200 ft

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-8-05 and this record is true to the best of my knowledge and belief, Kansas  
Water Well Contractor's License No. 672 This Water Well Record was completed on (mo/day/yr) 3-15-05  
under the business name of Cloud's water well by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.